

Pt. 20, App. B

APPENDIX B TO PART 20—ANNUAL LIMITS ON INTAKE (ALIS) AND DERIVED AIR CONCENTRATIONS (DACS) OF RADIONUCLIDES FOR OCCUPATIONAL EXPOSURE; EFFLUENT CONCENTRATIONS; CONCENTRATIONS FOR RELEASE TO SEWERAGE

INTRODUCTION

For each radionuclide table 1 indicates the chemical form which is to be used for selecting the appropriate ALI or DAC value. The ALIs and DACs for inhalation are given for an aerosol with an activity median aerodynamic diameter (AMAD) of 1 μm and for three classes (D,W,Y) of radioactive material, which refer to their retention (approximately days, weeks or years) in the pulmonary region of the lung. This classification applies to a range of clearance half-times of less than 10 days for D, for W from 10 to 100 days, and for Y greater than 100 days. The class (D, W, or Y) given in the column headed "Class" applies only to the inhalation ALIs and DACs given in table 1, columns 2 and 3. Table 2 provides concentration limits for airborne and liquid effluents released to the general environment. Table 3 provides concentration limits for discharges to sanitary sewer systems.

NOTATION

The values in tables 1, 2, and 3 are presented in the computer "E" notation. In this notation a value of 6E-02 represents a value of 6×10^{-2} or 0.06, 6E + 2 represents 6×10^2 or 600, and 6E + 0 represents 6×10^0 or 6.

TABLE 1 "OCCUPATIONAL"

Note that the columns in table 1, of this appendix captioned "Oral Ingestion ALI," "Inhalation ALI," and "DAC," are applicable to occupational exposure to radioactive material.

The ALIs in this appendix are the annual intakes of a given radionuclide by "Reference Man" which would result in either (1) a committed effective dose equivalent of 5 rems (stochastic ALI) or (2) a committed dose equivalent of 50 rems to an organ or tissue (non-stochastic ALI). The stochastic ALIs were derived to result in a risk, due to irradiation of organs and tissues, comparable to the risk associated with deep dose equivalent to the whole body of 5 rems. The derivation includes multiplying the committed dose equivalent to an organ or tissue by a weighting factor, w_T . This weighting factor is the proportion of the risk of stochastic effects resulting from irradiation of the organ or tissue, T, to the total risk of stochastic effects when the whole body is irradiated uniformly. The values of w_T are listed under the definition of weighting factor in §20.1003. The non-stochastic ALIs were derived to

10 CFR Ch. I (1-1-17 Edition)

avoid non-stochastic effects, such as prompt damage to tissue or reduction in organ function.

A value of $w_T = 0.06$ is applicable to each of the five organs or tissues in the "remainder" category receiving the highest dose equivalents, and the dose equivalents of all other remaining tissues may be disregarded. The following parts of the GI tract—stomach, small intestine, upper large intestine, and lower large intestine—are to be treated as four separate organs.

Note that the dose equivalents for extremities (hands and forearms, feet and lower legs), skin, and lens of the eye are not considered in computing the committed effective dose equivalent, but are subject to limits that must be met separately.

When an ALI is defined by the stochastic dose limit, this value alone, is given. When an ALI is determined by the non-stochastic dose limit to an organ, the organ or tissue to which the limit applies is shown, and the ALI for the stochastic limit is shown in parentheses. (Abbreviated organ or tissue designations are used: LLI wall = lower large intestine wall; St. wall = stomach wall; Blad wall = bladder wall; and Bone surf = bone surface.)

The use of the ALIs listed first, the more limiting of the stochastic and non-stochastic ALIs, will ensure that non-stochastic effects are avoided and that the risk of stochastic effects is limited to an acceptably low value. If, in a particular situation involving a radionuclide for which the non-stochastic ALI is limiting, use of that non-stochastic ALI is considered unduly conservative, the licensee may use the stochastic ALI to determine the committed effective dose equivalent. However, the licensee shall also ensure that the 50-rem dose equivalent limit for any organ or tissue is not exceeded by the sum of the external deep dose equivalent plus the internal committed dose to that organ (not the effective dose). For the case where there is no external dose contribution, this would be demonstrated if the sum of the fractions of the nonstochastic ALIs (ALI_{ns}) that contribute to the committed dose equivalent to the organ receiving the highest dose does not exceed unity (i.e., Σ (intake (in μCi) of each radionuclide/ ALI_{ns}) < 1.0). If there is an external deep dose equivalent contribution of H_d then this sum must be less than $1 - (H_d/50)$ instead of being <1.0.

The derived air concentration (DAC) values are derived limits intended to control chronic occupational exposures. The relationship between the DAC and the ALI is given by: $DAC = ALI(\text{in } \mu\text{Ci})/(2000 \text{ hours per working year} \times 60 \text{ minutes/hour} \times 2 \times 10^4 \text{ ml per minute}) = [ALI/2.4 \times 10^9] \mu\text{Ci/ml}$, where 2×10^4 ml is the volume of air breathed per minute at work by "Reference Man" under working conditions of "light work."

Nuclear Regulatory Commission

Pt. 20, App. B

The DAC values relate to one of two modes of exposure: either external submersion or the internal committed dose equivalents resulting from inhalation of radioactive materials. Derived air concentrations based upon submersion are for immersion in a semi-infinite cloud of uniform concentration and apply to each radionuclide separately.

The ALI and DAC values relate to exposure to the single radionuclide named, but also include contributions from the in-growth of any daughter radionuclide produced in the body by the decay of the parent. However, intakes that include both the parent and daughter radionuclides should be treated by the general method appropriate for mixtures.

The value of ALI and DAC do not apply directly when the individual both ingests and inhales a radionuclide, when the individual is exposed to a mixture of radionuclides by either inhalation or ingestion or both, or when the individual is exposed to both internal and external radiation (see §20.1202). When an individual is exposed to radioactive materials which fall under several of the translocation classifications (*i.e.*, Class D, Class W, or Class Y) of the same radionuclide, the exposure may be evaluated as if it were a mixture of different radionuclides.

It should be noted that the classification of a compound as Class D, W, or Y is based on the chemical form of the compound and does not take into account the radiological half-life of different radioisotopes. For this reason, values are given for Class D, W, and Y compounds, even for very short-lived radionuclides.

TABLE 2

The columns in table 2 of this appendix captioned "Effluents," "Air," and "Water," are applicable to the assessment and control of dose to the public, particularly in the implementation of the provisions of §20.1302. The concentration values given in columns 1 and 2 of table 2 are equivalent to the radionuclide concentrations which, if inhaled or ingested continuously over the course of a year, would produce a total effective dose equivalent of 0.05 rem (50 millirem or 0.5 millisieverts).

Consideration of non-stochastic limits has not been included in deriving the air and water effluent concentration limits because non-stochastic effects are presumed not to occur at the dose levels established for individual members of the public. For radionuclides, where the non-stochastic limit was governing in deriving the occupational DAC, the stochastic ALI was used in deriving the corresponding airborne effluent limit in table 2. For this reason, the DAC and airborne effluent limits are not always proportional as was the case in appendix B to §§20.1-20.601.

The air concentration values listed in table 2, column 1, were derived by one of two

methods. For those radionuclides for which the stochastic limit is governing, the occupational stochastic inhalation ALI was divided by 2.4×10^9 ml, relating the inhalation ALI to the DAC, as explained above, and then divided by a factor of 300. The factor of 300 includes the following components: a factor of 50 to relate the 5-rem annual occupational dose limit to the 0.1-rem limit for members of the public, a factor of 3 to adjust for the difference in exposure time and the inhalation rate for a worker and that for members of the public; and a factor of 2 to adjust the occupational values (derived for adults) so that they are applicable to other age groups.

For those radionuclides for which submersion (external dose) is limiting, the occupational DAC in table 1, column 3, was divided by 219. The factor of 219 is composed of a factor of 50, as described above, and a factor of 4.38 relating occupational exposure for 2,000 hours per year to full-time exposure (8,760 hours per year). Note that an additional factor of 2 for age considerations is not warranted in the submersion case.

The water concentrations were derived by taking the most restrictive occupational stochastic oral ingestion ALI and dividing by 7.3×10^7 . The factor of 7.3×10^7 (ml) includes the following components: the factors of 50 and 2 described above and a factor of 7.3×10^5 (ml) which is the annual water intake of "Reference Man."

Note 2 of this appendix provides groupings of radionuclides which are applicable to unknown mixtures of radionuclides. These groupings (including occupational inhalation ALIs and DACs, air and water effluent concentrations and sewerage) require demonstrating that the most limiting radionuclides in successive classes are absent. The limit for the unknown mixture is defined when the presence of one of the listed radionuclides cannot be definitely excluded either from knowledge of the radionuclide composition of the source or from actual measurements.

TABLE 3 "SEWER DISPOSAL"

The monthly average concentrations for release to sanitary sewers are applicable to the provisions in §20.2003. The concentration values were derived by taking the most restrictive occupational stochastic oral ingestion ALI and dividing by 7.3×10^6 (ml). The factor of 7.3×10^6 (ml) is composed of a factor of 7.3×10^5 (ml), the annual water intake by "Reference Man," and a factor of 10, such that the concentrations, if the sewage released by the licensee were the only source of water ingested by a reference man during a year, would result in a committed effective dose equivalent of 0.5 rem.

Pt. 20, App. B

10 CFR Ch. I (1-1-17 Edition)

LIST OF ELEMENTS

Name	Atomic	
	Symbol	No.
Actinium	Ac	89
Aluminum	Al	13
Americium	Am	95
Antimony	Sb	51
Argon	Ar	18
Arsenic	As	33
Astatine	At	85
Barium	Ba	56
Berkelium	Bk	97
Beryllium	Be	4
Bismuth	Bi	83
Bromine	Br	35
Cadmium	Cd	48
Calcium	Ca	20
Californium	Cf	98
Carbon	C	6
Cerium	Ce	58
Cesium	Cs	55
Chlorine	Cl	17
Chromium	Cr	24
Cobalt	Co	27
Copper	Cu	29
Curium	Cm	96
Dysprosium	Dy	66
Einsteinium	Es	99
Erbium	Er	68
Europium	Eu	63
Fermium	Fm	100
Fluorine	F	9
Francium	Fr	87
Gadolinium	Gd	64
Gallium	Ga	31
Germanium	Ge	32
Gold	Au	79
Hafnium	Hf	72
Holmium	Ho	67
Hydrogen	H	1
Indium	In	49
Iodine	I	53
Iridium	Ir	77
Iron	Fe	26
Krypton	Kr	36
Lanthanum	La	57
Lead	Pb	82
Lutetium	Lu	71
Magnesium	Mg	12
Manganese	Mn	25
Mendelevium	Md	101
Mercury	Hg	80

LIST OF ELEMENTS—Continued

Name	Atomic	
	Symbol	No.
Molybdenum	Mo	42
Neodymium	Nd	60
Neptunium	Np	93
Nickel	Ni	28
Niobium	Nb	41
Nitrogen	N	7
Osmium	Os	76
Oxygen	O	8
Palladium	Pd	46
Phosphorus	P	15
Platinum	Pt	78
Plutonium	Pu	94
Polonium	Po	84
Potassium	K	19
Praseodymium	Pr	59
Promethium	Pm	61
Protactinium	Pa	91
Radium	Ra	88
Radon	Rn	86
Rhenium	Re	75
Rhodium	Rh	45
Rubidium	Rb	37
Ruthenium	Ru	44
Samarium	Sm	62
Scandium	Sc	21
Selenium	Se	34
Silicon	Si	14
Silver	Ag	47
Sodium	Na	11
Strontium	Sr	38
Sulfur	S	16
Tantalum	Ta	73
Technetium	Tc	43
Tellurium	Te	52
Terbium	Tb	65
Thallium	Tl	81
Thorium	Th	90
Thulium	Tm	69
Tin	Sn	50
Titanium	Ti	22
Tungsten	W	74
Uranium	U	92
Vanadium	V	23
Xenon	Xe	54
Ytterbium	Yb	70
Yttrium	Y	39
Zinc	Zn	30
Zirconium	Zr	40

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentration		Table 3 Releases to Sewers	
			Col. 1	Col. 2	Col. 3	Col. 1	Col. 2		
			Oral Ingestion	Inhalation		Air	Water	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)	
1	Hydrogen-3	Water, DAC	8E+4	8E+4	2E-5	1E-7	1E-3	1E-2	
includes skin absorption									
Gas (HT or T ₂) Submersion ¹ : Use above values as HT and T ₂ oxidize in air and in the body to HTO									
4	Beryllium-7	W, all compounds except those given for Y	4E+4	2E+4	9E-6	3E-8	6E-4	6E-3	
		Y, oxides, halides, and nitrates	-	2E+4	8E-6	3E-8	-	-	
4	Beryllium-10	W, see 7Be	1E+3	2E+2	6E-8	2E-10	-	-	
		LLI wall	(1E+3)	-	-	-	2E-5	2E-4	
		Y, see 7Be	-	1E+1	6E-9	2E-11	-	-	
6	Carbon-11 ²	Monoxide	-	1E+6	5E-4	2E-6	-	-	
		Dioxide	-	6E+5	3E-4	9E-7	-	-	
		Compounds	4E+5	4E+5	2E-4	6E-7	6E-3	6E-2	
6	Carbon-14	Monoxide	-	2E+6	7E-4	2E-6	-	-	
		Dioxide	-	2E+5	9E-5	3E-7	-	-	
		Compounds	2E+3	2E+3	1E-6	3E-9	3E-5	3E-4	

Pt. 20, App. B

10 CFR Ch. I (1-1-17 Edition)

Table 1					Table 2		Table 3		
Atomic No.	Radionuclide	Class	Occupational Values			Effluent Concentration		Releases to Sewers	
			Col. 1	Col. 2	Col. 3	Col. 1	Col. 2		
			Oral	Ingestion	Inhalation	Air	Water	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)	
7	Nitrogen-13 ²	Submersion ¹	-	4E-6	2E-8	-	-	-	
8	Oxygen-15 ²	Submersion ¹	-	4E-6	2E-8	-	-	-	
9	Fluorine-18 ²	D, fluorides of H, Li, Na, K, Rb, Cs, and Fr W, fluorides of Be, Mg Ca, Sr, Ba, Ra, Al, Ga, In, Ti, As, Sb, Bi, Fe, Ru, Os, Co, Ni, Pd, Pt, Cu, Ag, Au, Zn, Cd, Hg, Sc, Y, Ti, Zr, V, Nb, Ta, Nm, Tc, and Re y, LANTHANUM FLUORIDE	5e+4 (5E+4)	7E+4 - 9e+4	3E-5 - 4e-5	1E-7 - 1e-7	- 7E-4 -	- 7E3 -	
11	Sodium-22	D, all compounds	4E+2	6E+2	3E-7	9E-10	6E-6	6E-5	
11	Sodium-24	D, all compounds	4E+3	5E+3	2E-6	7E-9	5E-5	5E-4	
12	Magnesium-28	D, all compounds except those given for W W, oxides, hydroxides, carbides, halides, and nitrates	7E+2 -	2E+3 1E+3	7E-7 5E-7	2E-9 2E-9	9E-6 -	9E-5 -	
13	Aluminum-26	D, all compounds except those given for W W, oxides, hydroxides, carbides, halides, and nitrates	4E+2 -	6E+1 9E+1	3E-8 4E-8	9E-11 1E-10	6E-6 -	6E-5 -	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
14	Silicon-31	D, all compounds except those given for W and Y	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
		W, oxides, hydroxides, carbides, and nitrates	-	3E+4	1E-5	5E-8	-	-	
		Y, aluminosilicate glass	-	3E+4	1E-5	4E-8	-	-	
14	Silicon-32	D, see ^{31}Si	2E+3 LLI wall (3E+3)	2E+2	1E-7	3E-10	-	-	
		W, see ^{31}Si	-	-	-	-	4E-5	4E-4	
		Y, see ^{31}Si	-	1E+2	5E-8	2E-10	-	-	
15	Phosphorus-32	D, all compounds except phosphates given for W	6E+2	9E+2	4E-7	1E-9	9E-6	9E-5	
		W, phosphates of Zn^{2+} , S^{3+} , Mg^{2+} , Fe^{3+} , Bi^{3+} , and lanthanides	-	4E+2	2E-7	5E-10	-	-	
15	Phosphorus-33	D, see ^{32}P	6E+3	8E+3	4E-6	1E-8	8E-5	8E-4	
16	Sulfur-35	W, see ^{32}P	-	3E+3	1E-6	4E-9	-	-	
		Vapor	-	1E+4	6E-6	2E-8	-	-	
		D, sulfides and sulfates except those given for W	1E+4 LLI wall (8E+3)	2E+4	7E-6	2E-8	-	-	
		W, elemental sulfur, sulfides of Sr, Ba, Ge, Sn, Pb, As, Sb, Bi, Cu, Ag, Au, Zn, Cd, Hg, W, and Mo. Sulfates of Ca, Sr, Ba, Ra, As, Sb, and Bi	6E+3	-	-	-	1E-4	1E-3	
17	Chlorine-36	D, chlorides of H, Li, Na, K, Rb, Cs, and Fr	2E+3	2E+3	1E-6	3E-9	2E-5	2E-4	
		W, chlorides of lanthanides, Be, Mg, Ca, Sr, Ba, Ra, Al, Ga, In, Tl, Ge, Sn, Pb, As, Sb, Bi, Fe, Ru, Os, Co, Rh, Ir, Ni, Pd, Pt, Cu, Ag, Au, Zn, Cd, Hg, Sc, Y, Ti, Zr, Hf, V, Nb, Ta, Cr, Mo, W, Mn, Tc, and Re	-	2E+2	1E-7	3E-10	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 2	Col. 3	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	AIR ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
17	Chlorine-38 ²	D, see ^{36}Cl	2E+4 St. wall (3E+4)	4E+4	2E-5	6E-8	-	-	-
		W, see ^{36}Cl	-	5E+4	2E-5	6E-8	3E-4	-	3E-3
17	Chlorine-39 ²	D, see ^{36}Cl	2E+4 St. wall (4E+4)	5E+4	2E-5	7E-8	-	-	-
		W, see ^{36}Cl	-	6E+4	2E-5	8E-8	5E-4	-	5E-3
18	Argon-37	Submersion ¹	-	-	1E+0	6E-3	-	-	-
18	Argon-39	Submersion ¹	-	-	2E-4	8E-7	-	-	-
18	Argon-41	Submersion ¹	-	-	3E-6	1E-8	-	-	-
19	Potassium-40	D, all compounds	3E+2	4E+2	2E-7	6E-10	4E-6	4E-5	
19	Potassium-42	D, all compounds	5E+3	5E+3	2E-6	7E-9	6E-5	6E-4	
19	Potassium-43	D, all compounds	6E+3	9E+3	4E-6	1E-8	9E-5	9E-4	
19	Potassium-44 ²	D, all compounds	2E+4 St. wall (4E+4)	7E+4	3E-5	9E-8	-	-	-
19	Potassium-45 ²	D, all compounds	3E+4 St. wall (5E+4)	1E+5	5E-5	2E-7	-	-	-
20	Calcium-41	W, all compounds	3E+3 Bone surf (4E+3)	4E+3 Bone surf (4E+3)	2E-6	-	-	-	-
20	Calcium-45	W, all compounds	2E+3	8E+2	4E-7	1E-9	2E-5	2E-4	
20	Calcium-47	W, all compounds	8E+2	9E+2	4E-7	1E-9	1E-5	1E-4	
21	Scandium-43	Y, all compounds	7E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
21	Scandium-44m	Y, all compounds	5E+2	7E+2	3E-7	1E-9	7E-6	7E-5	
21	Scandium-44	Y, all compounds	4E+3	1E+4	5E-6	2E-8	5E-5	5E-4	
21	Scandium-46	Y, all compounds	9E+2	2E+2	1E-7	3E-10	1E-5	1E-4	
21	Scandium-47	Y, all compounds	2E+3 LL wall (3E+3)	3E+3	1E-6	4E-9	-	-	-
21	Scandium-48	Y, all compounds	8E+2	1E+3	6E-7	2E-9	1E-5	1E-4	
21	Scandium-49 ²	Y, all compounds	2E+4	5E+4	2E-5	8E-8	3E-4	3E-3	
22	Titanium-44	D, all compounds except those given for W and Y	3E+2	1E+1	5E-9	2E-11	4E-6	4E-5	
		W, oxides, hydroxides, carbides, halides, and nitrates	-	3E+1	1E-8	4E-11	-	-	-
		Y, SrTiO_3	-	6E+0	2E-9	8E-12	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
22	Titanium-45	D, see ^{44}Ti W, see ^{46}Ti Y, see ^{48}Ti	9E+3	3E+4	1E-5	3E-8	1E-4	1E-3	
23	Vanadium-47 ²	D, all compounds except those given for W W, oxides, hydroxides, carbides, and halides	3E+4 St. wall (3E+4)	8E+4	3E-5	1E-7	-	-	
23	Vanadium-48	D, see ^{47}V W, see ^{47}V	6E+2	1E+3	5E-7	2E-9	9E-6	9E-5	
23	Vanadium-49	D, see ^{47}V W, see ^{47}V	7E+4 Llt. wall (9E+4)	3E+4 Bone surf (3E+4) 2E+4	1E-5	-	-	-	
24	Chromium-48	D, all compounds except those given for W and Y W, halides and nitrates Y, oxides and hydroxides	6E+3	1E+4	5E-6	2E-8	8E-5	8E-4	
24	Chromium-49 ²	D, see ^{48}Cr W, see ^{48}Cr Y, see ^{48}Cr	3E+4	8E+4	4E-5	1E-7	4E-4	4E-3	
24	Chromium-51	D, see ^{48}Cr W, see ^{48}Cr Y, see ^{48}Cr	4E+4	5E+4	2E-5	6E-8	5E-4	5E-3	
25	Manganese-51 ²	D, all compounds except those given for W W, oxides, hydroxides, halides, and nitrates	2E+4	5E+4	2E-5	7E-8	3E-4	3E-3	
25	Manganese-52m ²	D, see ^{51}Mn W, see ^{51}Mn	3E+4 St. wall (4E+4)	9E+4	4E-5	1E-7	-	-	
25	Manganese-52	D, see ^{51}Mn W, see ^{51}Mn	7E+2	1E+3	5E-7	2E-9	1E-5	1E-4	
25	Manganese-53	D, see ^{51}Mn W, see ^{51}Mn	5E+4	1E+4 Bone surf (2E+4) 1E+4	5E-6	-	7E-4	7E-3	
25	Manganese-54	D, see ^{51}Mn W, see ^{51}Mn	2E+3	9E+2 8E+2	4E-7 3E-7	1E-9 1E-9	3E-5	3E-4	
25	Manganese-56	D, see ^{51}Mn W, see ^{51}Mn	5E+3	2E+4	6E-6 9E-6	2E-8 3E-8	7E-5	7E-4	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 2 Inhalation	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	AIR ($\mu\text{Ci}/\text{m}^3$)	AIR ($\mu\text{Ci}/\text{m}^3$)	WATER ($\mu\text{Ci}/\text{m}^3$)		
26	Iron-52	D, all compounds except those given for W W, oxides, hydroxides, and halides	9E+2	3E+3	1E-6	4E-9	1E-5	1E-4	-
26	Iron-55	D, see ^{52}Fe W, see ^{52}Fe	9E+3	2E+3	1E-6	3E-9	-	-	1E-3
26	Iron-59	D, see ^{52}Fe W, see ^{52}Fe	8E+2	3E+2	1E-7	5E-10	1E-5	1E-4	-
26	Iron-60	D, see ^{52}Fe W, see ^{52}Fe	3E+1	6E+0	3E-9	9E-12	4E-7	4E-6	-
27	Cobalt-55	W, all compounds except those given for Y Y, oxides, hydroxides, halides, and nitrates	1E+3	3E+3	1E-6	4E-9	2E-5	2E-4	-
27	Cobalt-56	W, see ^{55}Co Y, see ^{55}Co	5E+2	3E+2	1E-7	4E-10	6E-6	6E-5	-
27	Cobalt-57	W, see ^{55}Co Y, see ^{55}Co	8E+3	3E+3	1E-6	4E-9	6E-5	6E-4	-
27	Cobalt-58m	W, see ^{55}Co Y, see ^{55}Co	6E+4	9E+4	4E-5	1E-7	8E-4	8E-3	-
27	Cobalt-58	W, see ^{55}Co Y, see ^{55}Co	2E+3	1E+3	5E-7	2E-9	2E-5	2E-4	-
27	Cobalt-60m ²	W, see ^{55}Co Y, see ^{55}Co	1E+6 (1E+6)	4E+6	2E-3	6E-6	-	-	-
27	Cobalt-60	W, see ^{55}Co Y, see ^{55}Co	5E+2	2E+2	7E-8	2E-10	3E-6	3E-5	-
27	Cobalt-61 ²	W, see ^{55}Co Y, see ^{55}Co	2E+4	6E+4	3E-5	9E-8	3E-4	3E-3	-
27	Cobalt-62m ²	W, see ^{55}Co Y, see ^{55}Co	4E+4 (5E+4)	2E+5	7E-5	2E-7	-	-	-
28	Nickel-56	D, all compounds except those given for W W, oxides, hydroxides, and carbides Vapor	1E+3	2E+3	8E-7	3E-9	2E-5	2E-4	-
28	Nickel-57	D, see ^{56}Ni W, see ^{56}Ni Vapor	2E+3	5E+3	2E-6	7E-9	2E-5	2E-4	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation ALT (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)			Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
28	Nickel-59	D, see ^{59}Ni	2E+4	4E+3	2E-6	5E-9	3E-4	3E-3	
		W, see ^{59}Ni	-	7E+3	3E-6	1E-8	-	-	
		Vapor	-	2E+3	8E-7	3E-9	-	-	
28	Nickel-63	D, see ^{59}Ni	9E+3	2E+3	7E-7	2E-9	1E-4	1E-3	
		W, see ^{59}Ni	-	3E+3	1E-6	4E-9	-	-	
		Vapor	-	8E+2	3E-7	1E-9	-	-	
28	Nickel-65	D, see ^{59}Ni	8E+3	2E+4	1E-5	3E-8	1E-4	1E-3	
		W, see ^{59}Ni	-	3E+4	1E-5	4E-8	-	-	
		Vapor	-	2E+4	7E-6	2E-8	-	-	
28	Nickel-66	D, see ^{59}Ni	4E+2 LLI wall (5E+2)	2E+3	7E-7	2E-9	-	-	
		W, see ^{59}Ni	-	6E+2	3E-7	9E-10	-	-	
		Vapor	-	3E+3	1E-6	4E-9	-	-	
29	Copper-60 ²	D, all compounds except those given for W and Y	3E+4 St. wall (3E+4)	9E+4	4E-5	1E-7	-	-	
		W, sulfides, halides, and nitrates	-	1E+5	5E-5	2E-7	-	-	
		Y, oxides and hydroxides	-	1E+5	4E-5	1E-7	-	-	
29	Copper-61	D, see ^{60}Cu	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
		W, see ^{60}Cu	-	4E+4	2E-5	6E-8	-	-	
		Y, see ^{60}Cu	-	4E+4	1E-5	5E-8	-	-	
29	Copper-64	D, see ^{60}Cu	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
		W, see ^{60}Cu	-	2E+4	1E-5	3E-8	-	-	
		Y, see ^{60}Cu	-	2E+4	9E-6	3E-8	-	-	
29	Copper-67	D, see ^{60}Cu	5E+3	8E+3	3E-6	1E-8	6E-5	6E-4	
		W, see ^{60}Cu	-	5E+3	2E-6	7E-9	-	-	
		Y, see ^{60}Cu	-	5E+3	2E-6	6E-9	-	-	
30	Zinc-62	Y, all compounds	1E+3	3E+3	1E-6	4E-9	2E-5	2E-4	
30	Zinc-63 ²	Y, all compounds	2E+4 St. wall (3E+4)	7E+4	3E-5	9E-8	-	-	
30	Zinc-65	Y, all compounds	4E+2	3E+2	1E-7	4E-10	5E-6	5E-5	
30	Zinc-69m	Y, all compounds	4E+3	7E+3	3E-6	1E-8	6E-5	6E-4	
30	Zinc-69 ²	Y, all compounds	6E+4	1E+5	6E-5	2E-7	8E-4	8E-3	
30	Zinc-71m	Y, all compounds	6E+3	2E+4	7E-6	2E-8	8E-5	8E-4	
30	Zinc-72	Y, all compounds	1E+3	1E+3	5E-7	2E-9	1E-5	1E-4	
31	Gallium-65 ²	D, all compounds except those given for W	5E+4 St. wall (6E+4)	2E+5	7E-5	2E-7	-	-	
		W, oxides, hydroxides, carbides, halides, and nitrates	-	2E+5	8E-5	3E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μ Ci)		Col. 2 Inhalation AI (μ Ci)	Col. 3 DAC (μ Ci/ml)	Air (μ Ci/ml)	Water (μ Ci/ml)	Col. 1 Col. 2
			Col. 1 Oral Ingestion AI (μ Ci)	Col. 2 Inhalation AI (μ Ci)	DAC (μ Ci/ml)	Air (μ Ci/ml)	Water (μ Ci/ml)	Col. 1 Col. 2	Monthly Average Concentration (μ Ci/ml)
31	Gallium-66	D, see ^{65}Ga W, see ^{65}Ga	1E+3	4E+3 3E+3	1E-6 1E-6	5E-9 4E-9	1E-5	1E-4	-
31	Gallium-67	D, see ^{65}Ga W, see ^{65}Ga	7E+3	1E+4 1E+4	6E-6 4E-6	2E-8 1E-8	1E-4	1E-3	-
31	Gallium-68 ²	D, see ^{65}Ga W, see ^{65}Ga	2E+4	4E+4 5E+4	2E-5 2E-5	6E-8 7E-8	2E-4	2E-3	-
31	Gallium-70 ²	D, see ^{65}Ga W, see ^{65}Ga	5E+4 (7E+4)	2E+5 2E+5	7E-5 8E-5	2E-7 3E-7	-	1E-2	1E-2
31	Gallium-72	D, see ^{65}Ga W, see ^{65}Ga	1E+3	4E+3 3E+3	1E-6 1E-6	5E-9 4E-9	2E-5	2E-4	-
31	Gallium-73	D, see ^{65}Ga W, see ^{65}Ga	5E+3	2E+4 2E+4	6E-6 6E-6	2E-8 2E-8	7E-5	7E-4	-
32	Germanium-66	D, all compounds except those given for W W, oxides, sulfides, and halides	2E+4	3E+4	1E-5	4E-8	3E-4	3E-3	-
32	Germanium-67 ²	D, see ^{66}Ge W, see ^{66}Ge	3E+4 (4E+4)	9E+4 1E+5	4E-5 4E-5	1E-7 1E-7	-	6E-4	6E-3
32	Germanium-68	D, see ^{66}Ge W, see ^{66}Ge	5E+3	4E+3 1E+2	2E-6 4E-8	5E-9 1E-10	6E-5	6E-4	-
32	Germanium-69	D, see ^{66}Ge W, see ^{66}Ge	1E+4	2E+4 8E+3	6E-6 3E-6	2E-8 1E-8	2E-4	2E-3	-
32	Germanium-71	D, see ^{66}Ge W, see ^{66}Ge	5E+5	4E+5 4E+4	2E-4 2E-5	6E-7 6E-8	7E-3	7E-2	-
32	Germanium-75 ²	D, see ^{66}Ge W, see ^{66}Ge	4E+4 (7E+4)	8E+4 8E+4	3E-5 4E-5	1E-7 1E-7	-	9E-4	9E-3
32	Germanium-77	D, see ^{66}Ge W, see ^{66}Ge	9E+3	1E+4 6E+3	4E-6 2E-6	1E-8 8E-9	1E-4	1E-3	-
32	Germanium-78 ²	D, see ^{66}Ge W, see ^{66}Ge	2E+4 (2E+4)	2E+4 2E+4	9E-6 9E-6	3E-8 3E-8	-	3E-4	3E-3

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
33	Arsenic-69 ²	W, all compounds	3E+4 St. wall (4E+4)	1E+5	5E-5	2E-7	-	-	-
33	Arsenic-70 ²	W, all compounds	1E+4	5E+4	2E-5	7E-8	2E-4	2E-3	
33	Arsenic-71	W, all compounds	4E+3	5E+3	2E-6	6E-9	5E-5	5E-4	
33	Arsenic-72	W, all compounds	9E+2	1E+3	6E-7	2E-9	1E-5	1E-4	
33	Arsenic-73	W, all compounds	8E+3	2E+3	7E-7	2E-9	1E-4	1E-3	
33	Arsenic-74	W, all compounds	1E+3	8E+2	3E-7	1E-9	2E-5	2E-4	
33	Arsenic-76	W, all compounds	1E+3	1E+3	6E-7	2E-9	1E-5	1E-4	
33	Arsenic-77	W, all compounds	4E+3 L1 wall (5E+3)	5E+3	2E-6	7E-9	-	-	
33	Arsenic-78 ²	W, all compounds	8E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
34	Selenium-70 ²	D, all compounds except those given for W	2E+4	4E+4	2E-5	5E-8	1E-4	1E-3	
		W, oxides, hydroxides, carbides, and elemental Se	1E+4-	4E+4	2E-5	6E-8	-	-	
34	Selenium-73m ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	6E+4 3E+4	2E+5 1E+5	6E-5 6E-5	2E-7 2E-7	4E-4	4E-3	
34	Selenium-73	D, see ⁷⁰ Se W, see ⁷⁰ Se	3E+3	1E+4 2E+4	5E-6 7E-6	2E-8 2E-8	4E-5	4E-4	
34	Selenium-75	D, see ⁷⁰ Se W, see ⁷⁰ Se	5E+2	7E+2 6E+2	3E-7 3E-7	1E-9 8E-10	7E-6	7E-5	
34	Selenium-79	D, see ⁷⁰ Se W, see ⁷⁰ Se	6E+2	8E+2 6E+2	3E-7 2E-7	1E-9 8E-10	8E-6	8E-5	
34	Selenium-81m ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	4E+4 2E+4	7E+4 7E+4	3E-5 3E-5	9E-8 1E-7	3E-4	3E-3	
34	Selenium-81 ²	D, see ⁷⁰ Se	6E+4 -	2E+5	9E-5	3E-7	-	-	
		W, see ⁷⁰ Se	-	2E+5	1E-4	3E-7	1E-3	1E-2	
34	Selenium-83 ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	4E+4 3E+4	1E+5 1E+5	5E-5 5E-5	2E-7 2E-7	4E-4	4E-3	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 3 Inhalation	Col. 1	Col. 2	Monthly Average Concentration	
			AI (μCi)	DAC ($\mu\text{Ci}/\text{ml}$)	Air ($\mu\text{Ci}/\text{ml}$)	Water ($\mu\text{Ci}/\text{ml}$)	($\mu\text{Ci}/\text{ml}$)		
35	Bromine-74 ²	D, bromides of H, Li, Na, K, Rb, Cs, and Fr	1E+4 St. wall (2E+4)	4E+4	2E-5	5E-8	-	-	
		W, bromides of lanthanides, Be, Mg, Ca, Sr, Ba, Ra, Al, Ga, In, Tl, Ge, Sn, Pb, As, Sb, Bi, Fe, Ru, Os, Co, Rh, Ir, Ni, Pd, Pt, Cu, Ag, Au, Zn, Cd, Hg, Sc, Y, Ti, Zr, Hf, V, Nb, Ta, Mn, Tc, and Re	-	4E+4	2E-5	6E-8	-	-	
35	Bromine-74 ²	D, see ^{74m} Br	2E+4 St. wall (4E+4)	7E+4	3E-5	1E-7	-	-	
		W, see ^{74m} Br	-	8E+4	4E-5	1E-7	5E-4	5E-3	
35	Bromine-75 ²	D, see ^{74m} Br	3E+4 St. wall (4E+4)	5E+4	2E-5	7E-8	-	-	
		W, see ^{74m} Br	-	5E+4	2E-5	7E-8	5E-4	5E-3	
35	Bromine-76	D, see ^{74m} Br	4E+3	5E+3	2E-6	7E-9	5E-5	5E-4	
		W, see ^{74m} Br	-	4E+3	2E-6	6E-9	-	-	
35	Bromine-77	D, see ^{74m} Br	2E+4	2E+4	1E-5	3E-8	2E-4	2E-3	
		W, see ^{74m} Br	-	2E+4	8E-6	3E-8	-	-	
35	Bromine-80m	D, see ^{74m} Br	2E+4	2E+4	7E-6	2E-8	3E-4	3E-3	
		W, see ^{74m} Br	-	1E+4	6E-6	2E-8	-	-	
35	Bromine-80 ²	D, see ^{74m} Br	5E+4 St. wall (9E+4)	2E+5	8E-5	3E-7	-	-	
		W, see ^{74m} Br	-	2L+5	9E-5	3E-7	1E-3	1E-2	
35	Bromine-82	D, see ^{74m} Br	3E+3	4E+3	2E-6	6E-9	4E-5	4E-4	
		W, see ^{74m} Br	-	4E+3	2E-6	5E-9	-	-	
35	Bromine-83	D, see ^{74m} Br	5E+4 St. wall (7E+4)	6E+4	3E-5	9E-8	-	-	
		W, see ^{74m} Br	-	6E+4	3E-5	9E-8	9E-4	9E-3	
35	Bromine-84 ²	D, see ^{74m} Br	2E+4 St. wall (3E+4)	6E+4	2E-5	8E-8	-	-	
		W, see ^{74m} Br	-	6E+4	3E-5	9E-8	4E-4	4E-3	
36	Krypton-74 ²	Submersion ¹	-	-	3E-6	1E-8	-	-	
36	Krypton-76	Submersion ¹	-	-	9E-6	4E-8	-	-	
36	Krypton-77 ²	Submersion ¹	-	-	4E-6	2E-8	-	-	
36	Krypton-79	Submersion ¹	-	-	2E-5	7E-8	-	-	
36	Krypton-81	Submersion ¹	-	-	7E-4	3E-6	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
36	Krypton-83 ²	Submersion ¹	-	-	1E-2	5E-5	-	-	
36	Krypton-85m	Submersion ¹	-	-	2E-5	1E-7	-	-	
36	Krypton-85	Submersion ¹	-	-	1E-4	7E-7	-	-	
36	Krypton-87 ²	Submersion ¹	-	-	5E-6	2E-8	-	-	
36	Krypton-88	Submersion ¹	-	-	2E-6	9E-9	-	-	
37	Rubidium-79 ²	D, all compounds	4E+4 St. wall (6E+4)	1E+5	5E-5	2E-7	-	-	
37	Rubidium-81m ²	D, all compounds	2E+5 St. wall (3E+5)	3E+5	1E-4	5E-7	-	-	
37	Rubidium-81	D, all compounds	4E+4	5E+4	2E-5	7E-8	5E-4	5E-3	
37	Rubidium-82m	D, all compounds	1E+6	2E+4	7E-6	2E-8	2E-4	2E-3	
37	Rubidium-83	D, all compounds	6E+2	1E+3	4E-7	1E-9	9E-6	9E-5	
37	Rubidium-84	D, all compounds	5E+2	8E+2	3E-7	1E-9	7E-6	7E-5	
37	Rubidium-86	D, all compounds	5E+2	8E+2	3E-7	1E-9	7E-6	7E-5	
37	Rubidium-87	D, all compounds	1E+3	2E+3	6E-7	2E-9	1E-5	1E-4	
37	Rubidium-88 ²	D, all compounds	2E+4 St. wall (3E+4)	6E+4	3E-5	9E-8	-	-	
37	Rubidium-89 ²	D, all compounds	4E+4 St. wall (6E+4)	1E+5	6E-5	2E-7	-	-	
38	Strontium-80 ²	D, all soluble compounds except SrTiO ₃ , Y, all insoluble compounds and SrTiO ₃	4E+3	1E+4	5E-6	2E-8	6E-5	6E-4	
38	Strontium-81 ²	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+4 2E+4	8E+4 8E+4	3E-5 3E-5	1E-7 1E-7	3E-4 -	3E-3	
38	Strontium-82	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+2 (2E+2)	4E+2 9E+1	2E-7 4E-8	6E-10 1E-10	-	-	
38	Strontium-83	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+3 2E+3	7E+3 4E+3	3E-6 1E-6	1E-8 5E-9	3E-5 -	3E-4	
38	Strontium-85m ²	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	2E+5	6E+5 8E+5	3E-4 4E-4	9E-7 1E-6	3E-3 -	3E-2	
38	Strontium-85	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+3	3E+3 2E+3	1E-6 6E-7	4E-9 2E-9	4E-5 -	4E-4	
38	Strontium-87m	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	5E+4 4E+4	1E+5 2E+5	5E-5 6E-5	2E-7 2E-7	6E-4 -	6E-3	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)		Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			LLI wall ($6E+2$)	5E+2	2E+2	4E-7	1E-9	-	
38	Strontium-89	D, see ^{80}Sr	6E+2 LLI wall ($6E+2$)	-	-	-	8E-6	8E-5	-
		Y, see ^{80}Sr	5E+2 5E+2	1E+2	6E-8	2E-10	-	-	-
38	Strontium-90	D, see ^{80}Sr	3E+1 Bone surf ($4E+1$)	2E+1 Bone surf ($2E+1$)	8E-9	-	-	-	-
		Y, see ^{80}Sr	- 4E+0	4E+0	2E-9	3E-11 6E-12	5E-7	5E-6	-
38	Strontium-91	D, see ^{80}Sr	2E+3	6E+3 4E+3	2E-6 1E-6	8E-9 5E-9	2E-5	2E-4	-
38	Strontium-92	D, see ^{80}Sr	3E+3	9E+3 7E+3	4E-6 3E-6	1E-8 9E-9	4E-5	4E-4	-
39	Yttrium-86 ²	W, all compounds except those given for Y	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	-
		Y, oxides and hydroxides	-	5E+4	2E-5	8E-8	-	-	-
39	Yttrium-86	W, see ^{86}Y	1E+3	3E+3	1E-6 1E-6	5E-9 5E-9	2E-5	2E-4	-
39	Yttrium-87	W, see ^{86}Y	2E+3	3E+3 3E+3	1E-6 1E-6	5E-9 5E-9	3E-5	3E-4	-
39	Yttrium-88	W, see ^{86}Y	1E+3	3E+2 2E+2	1E-7 1E-7	3E-10 3E-10	1E-5	1E-4	-
39	Yttrium-90 ^a	W, see ^{86}Y	8E+3	1E+4 1E+4	5E-6 5E-6	2E-8 2E-8	1E-4	1E-3	-
39	Yttrium-90	W, see ^{86}Y	4E+2 LLI wall ($5E+2$)	7E+2	3E-7	9E-10	-	-	-
		Y, see ^{86}Y	-	6E+2	3E-7	9E-10	7E-6	7E-5	-
39	Yttrium-91 ²	W, see ^{86}Y	1E+5	2E+5	1E-4 7E-5	3E-7 2E-7	2E-3	2E-2	-
39	Yttrium-91	W, see ^{86}Y	5E+2 LLI wall ($6E+2$)	2E+2 1E+2	7E-8 5E-8	2E-10	-	-	-
		Y, see ^{86}Y	-	-	-	2E-10	8E-6	8E-5	-
39	Yttrium-92	W, see ^{86}Y	3E+3	9E+3 8E+3	4E-6 3E-6	1E-8 1E-8	4E-5	4E-4	-
39	Yttrium-93	W, see ^{86}Y	1E+3	3E+3 2E+3	1E-6 1E-6	4E-9 3E-9	2E-5	2E-4	-
39	Yttrium-94 ²	W, see ^{86}Y	2E+4 St. wall ($3E+4$)	8E+4	3E-5	1E-7	-	-	-
		Y, see ^{86}Y	-	8E+4	3E-5 1E-7	-	4E-4	4E-3	-
39	Yttrium-95 ²	W, see ^{86}Y	4E+4 St. wall ($5E+4$)	2E+5	6E-5	2E-7	-	-	-
		Y, see ^{86}Y	-	1E+5	6E-5 2E-7	7E-4	7E-3	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Oral Ingestion		Inhalation AI (μCi)	ALT ($\mu\text{Ci}/\text{ml}$)	DAC ($\mu\text{Ci}/\text{ml}$)	Air ($\mu\text{Ci}/\text{ml}$)	Water ($\mu\text{Ci}/\text{ml}$)
			Col. 1	Col. 2					
40	Zirconium-86	D, all compounds except those given for W and Y	1E+3	4E+3	2E-6	6E-9	2E-5	2E-4	
		W, oxides, hydroxides, halides, and nitrates	-	3E+3	1E-6	4E-9	-	-	
		Y, carbide	-	2E+3	1E-6	3E-9	-	-	
40	Zirconium-88	D, see ^{86}Zr	4E+3	2E+2	9E-8	3E-10	5E-5	5E-4	
		W, see ^{86}Zr	-	5E+2	2E-7	7E-10	-	-	
		Y, see ^{86}Zr	-	3E+2	1E-7	4E-10	-	-	
40	Zirconium-89	D, see ^{86}Zr	2E+3	4E+3	1E-6	5E-9	2E-5	2E-4	
		W, see ^{86}Zr	-	2E+3	1E-6	3E-9	-	-	
		Y, see ^{86}Zr	-	2E+3	1E-6	3E-9	-	-	
40	Zirconium-93	D, see ^{86}Zr	1E+3	6E+0 Bone surf (3E+3)	3E-9	-	-	-	
		W, see ^{86}Zr	-	(2E+1) 2E+1	-	2E-11	4E-5	4E-4	
		Y, see ^{86}Zr	-	(6E+1) 6E+1	-	9E-11	-	-	
			-	Bone surf (7E+1)	2E-8	-	-	-	
			-	(7E+1)	-	9E-11	-	-	
40	Zirconium-95	D, see ^{86}Zr	1E+3	1E+2 Bone surf (3E+2)	5E-8	-	2E-5	2E-4	
		W, see ^{86}Zr	-	4E+2	2E-7	5E-10	-	-	
		Y, see ^{86}Zr	-	3E+2	1E-7	4E-10	-	-	
40	Zirconium-97	D, see ^{86}Zr	6E+2	2E+3	8E-7	3E-9	9E-6	9E-5	
		W, see ^{86}Zr	-	1E+3	6E-7	2E-9	-	-	
		Y, see ^{86}Zr	-	1E+3	5E-7	2E-9	-	-	
41	Niobium-89 ²	W, all compounds except those given for Y	5E+4 St. wall (7E+4)	2E+5	9E-5	3E-7	-	-	
		Y, oxides and hydroxides	-	2E+5	9E-5	3E-7	1E-3	1E-2	
41	Niobium-89m ² (66 min)	W, see ^{88}Nb	1E+4	4E+4	2E-5	6E-8	1E-4	1E-3	
		Y, see ^{88}Nb	-	4E+4	2E-5	5E-8	-	-	
41	Niobium-89 (122 min)	W, see ^{88}Nb	5E+3	2E+4	8E-6	3E-8	7E-5	7E-4	
		Y, see ^{88}Nb	-	2E+4	6E-6	2E-8	-	-	
41	Niobium-90	W, see ^{88}Nb	1E+3	3E+3	1E-6	4E-9	1E-5	1E-4	
		Y, see ^{88}Nb	-	2E+3	1E-6	3E-9	-	-	
41	Niobium-93m	W, see ^{88}Nb	9E+3 L1 wall (1E+4)	2E+3	8E-7	3E-9	-	-	
		Y, see ^{88}Nb	-	2E+2	7E-8	2E-10	2E-4	2E-3	
41	Niobium-94	W, see ^{88}Nb	9E+2	2E+2	8E-8	3E-10	1E-5	1E-4	
		Y, see ^{88}Nb	-	2E+1	6E-9	2E-11	-	-	
41	Niobium-95m	W, see ^{88}Nb	2E+3 L1 wall (2E+3)	3E+3	1E-6	4E-9	-	-	
		Y, see ^{88}Nb	-	2E+3	9E-7	3E-9	3E-5	3E-4	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 2 Inhalation	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)					
41	Niobium-95	W, see ^{88}Nb Y, see ^{88}Nb	2E+3	1E+3 1E+3	5E-7 5E-7	2E-9 2E-9	3E-5	3E-4	
41	Niobium-96	W, see ^{88}Nb Y, see ^{88}Nb	1E+3	3E+3 2E+3	1E-6 1E-6	4E-9 3E-9	2E-5	2E-4	
41	Niobium-97 ²	W, see ^{88}Nb Y, see ^{88}Nb	2E+4	8E+4 7E+4	3E-5 3E-5	1E-7 1E-7	3E-4	3E-3	
41	Niobium-98 ²	W, see ^{88}Nb Y, see ^{88}Nb	1E+4	5E+4 5E+4	2E-5 2E-5	8E-8 7E-8	2E-4	2E-3	
42	Molybdenum-90	D, all compounds except those given for Y Y, oxides, hydroxides, and MoS_2	4E+3	7E+3	3E-6	1E-8	3E-5	3E-4	
42	Molybdenum-93m	D, see ^{90}Mo Y, see ^{90}Mo	9E+3 4E+3	2E+4 1E+4	7E-6 6E-6	2E-8 2E-8	6E-5	6E-4	
42	Molybdenum-93	D, see ^{90}Mo Y, see ^{90}Mo	4E+3 2E+4	5E+3 2E+2	2E-6 8E-8	8E-9 2E-10	5E-5	5E-4	
42	Molybdenum-99	D, see ^{90}Mo Y, see ^{90}Mo	2E+3 (1E+3) 1E+3	3E+3 - 1E+3	1E-6 - 6E-7	4E-9 - 2E-9	-	-	
42	Molybdenum-101 ²	D, see ^{90}Mo Y, see ^{90}Mo	4E+4 -	1E+5 (5E+4) 1E+5	6E-5 - 6E-5	2E-7 - 2E-7	-	-	
43	Technetium-93m ²	D, all compounds except those given for W W, oxides, hydroxides, halides, and nitrates	7E+4	2E+5	6E-5	2E-7	1E-3	1E-2	
43	Technetium-93	D, see ^{93}Tc W, see ^{93}Tc	3E+4	7E+4 1E+5	3E-5 4E-5	1E-7 1E-7	4E-4	4E-3	
43	Technetium-94m ²	D, see ^{93}Tc W, see ^{93}Tc	2E+4	4E+4 6E+4	2E-5 2E-5	6E-8 8E-8	3E-4	3E-3	
43	Technetium-94	D, see ^{93}Tc W, see ^{93}Tc	9E+3	2E+4 2E+4	8E-6 1E-5	3E-8 3E-8	1E-4	1E-3	
43	Technetium-95m	D, see ^{93}Tc W, see ^{93}Tc	4E+3	5E+3 2E+3	2E-6 8E-7	8E-9 3E-9	5E-5	5E-4	
43	Technetium-95	D, see ^{93}Tc W, see ^{93}Tc	1E+4	2E+4 2E+4	9E-6 8E-6	3E-8 3E-8	1E-4	1E-3	
43	Technetium-96m ²	D, see ^{93}Tc W, see ^{93}Tc	2E+5	3E+5 2E+5	1E-4 1E-4	4E-7 3E-7	2E-3	2E-2	
43	Technetium-96	D, see ^{93}Tc W, see ^{93}Tc	2E+3	3E+3 2E+3	1E-6 9E-7	5E-9 3E-9	3E-5	3E-4	
43	Technetium-97m	D, see ^{93}Tc W, see ^{93}Tc	5E+3	7E+3 (7E+3) 1E+3	3E-6 - 5E-7	- 1E-8 2E-9	6E-5	6E-4	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
43	Technetium-97	D, see ^{93m}Tc W, see ^{93m}Tc	4E+4 -	5E+4 6E+3	2E-5 2E-6	7E-8 8E-9	5E-4 -	5E-3 -	
43	Technetium-98	D, see ^{93m}Tc W, see ^{93m}Tc	1E+3 -	2E+3 3E+2	7E-7 1E-7	2E-9 4E-10	1E-5 -	1E-4 -	
43	Technetium-99m	D, see ^{93m}Tc W, see ^{93m}Tc	8E+4 -	2E+5 2E+5	6E-5 1E-4	2E-7 3E-7	1E-3 -	1E-2 -	
43	Technetium-99	D, see ^{93m}Tc W, see ^{93m}Tc	4E+3 - -	5E+3 (6E+3) 7E+2	2E-6 - 3E-7	- 8E-9 9E-10	6E-5 -	6E-4 -	
43	Technetium-101 ²	D, see ^{93m}Tc W, see ^{93m}Tc	9E+4 (1E+5) -	3E+5 4E+5	1E-4 2E-4	5E-7 5E-7	- 2E-3	- 2E-2	
43	Technetium-104 ²	D, see ^{93m}Tc W, see ^{93m}Tc	2E+4 (3E+4) -	7E+4 9E+4	3E-5 4E-5	1E-7 1E-7	- 4E-4	- 4E-3	
44	Ruthenium-94 ²	D, all compounds except those given for W and Y W, halides Y, oxides and hydroxides	2E+4 - -	4E+4 6E+4 6E+4	2E-5 3E-5 2E-5	6E-8 9E-8 8E-8	2E-4 -	2E-3 -	
44	Ruthenium-97	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	8E+3 - -	2E+4 1E+4 1E+4	8E-6 5E-6 5E-6	3E-8 2E-8 2E-8	1E-4 -	1E-3 -	
44	Ruthenium-103	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	2E+3 - -	2E+3 1E+3 6E+2	7E-7 4E-7 3E-7	2E-9 1E-9 9E-10	3E-5 -	3E-4 -	
44	Ruthenium-105	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	5E+3 - -	1E+4 1E+4 1E+4	6E-6 6E-6 5E-6	2E-8 2E-8 2E-8	7E-5 -	7E-4 -	
44	Ruthenium-106	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	2E+2 (2E+2) -	9E+1 - 5E+1	4E-8 - 2E-8	1E-10 - 8E-11	- 3E-6 -	- 3E-5 -	
45	Rhodium-95	D, all compounds except those given for W and Y W, halides Y, oxides and hydroxides	2E+4 - -	6E+4 8E+4 7E+4	2E-5 3E-5 3E-5	8E-8 1E-7 9E-8	2E-4 -	2E-3 -	
45	Rhodium-99	D, see ^{99m}Rh W, see ^{99m}Rh Y, see ^{99m}Rh	2E+3 - -	3E+3 2E+3 2E+3	1E-6 9E-7 8E-7	4E-9 3E-9 3E-9	3E-5 -	3E-4 -	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μ Ci)	Col. 2 Inhalation AI (μ Ci)	Col. 3 DAC (μ Ci/ml)	Col. 1	Col. 2	Monthly Average Concentration (μ Ci/ml)	
						Air (μ Ci/ml)	Water (μ Ci/ml)		
45	Rhodium-100	D, see ^{99m} Rh	2E+3	5E+3	2E-6	7E-9	2E-5	2E-4	-
		W, see ^{99m} Rh	-	4E+3	2E-6	6E-9	-	-	-
		Y, see ^{99m} Rh	-	4E+3	2E-6	5E-9	-	-	-
45	Rhodium-101 ^m	D, see ^{99m} Rh	6E+3	1E+4	5E-6	2E-8	8E-5	8E-4	-
		W, see ^{99m} Rh	-	8E+3	4E-6	1E-8	-	-	-
		Y, see ^{99m} Rh	-	8E+3	3E-6	1E-8	-	-	-
45	Rhodium-101	D, see ^{99m} Rh	2E+3	5E+2	2E-7	7E-10	3E-5	3E-4	-
		W, see ^{99m} Rh	-	8E+2	3E-7	1E-9	-	-	-
		Y, see ^{99m} Rh	-	2E+2	6E-8	2E-10	-	-	-
45	Rhodium-102 ^m	D, see ^{99m} Rh	1E+3 LLI wall (3E+3)	5E+2	2E-7	7E-10	-	-	-
		W, see ^{99m} Rh	-	4E+2	2E-7	5E-10	2E-5	2E-4	-
		Y, see ^{99m} Rh	-	1E+2	5E-8	2E-10	-	-	-
45	Rhodium-102	D, see ^{99m} Rh	6E+2	9E+1	4E-8	1E-10	8E-6	8E-5	-
		W, see ^{99m} Rh	-	2E+2	7E-9	2E-10	-	-	-
		Y, see ^{99m} Rh	-	6E+1	2E-8	8E-11	-	-	-
45	Rhodium-103 ^m ²	D, see ^{99m} Rh	4E+5	1E+6	5E-4	2E-6	6E-3	6E-2	-
		W, see ^{99m} Rh	-	1E+6	5E-4	2E-6	-	-	-
		Y, see ^{99m} Rh	-	1E+6	5E-4	2E-6	-	-	-
45	Rhodium-105	D, see ^{99m} Rh	4E+3 LLI wall (4E+3)	1E+4	5E-6	2E-8	-	-	-
		W, see ^{99m} Rh	-	6E+3	3E-6	9E-9	5E-5	5E-4	-
		Y, see ^{99m} Rh	-	6E+3	2E-6	8E-9	-	-	-
45	Rhodium-106 ^m	D, see ^{99m} Rh	8E+3	3E+4	1E-5	4E-8	1E-4	1E-3	-
		W, see ^{99m} Rh	-	4E+4	2E-5	5E-8	-	-	-
		Y, see ^{99m} Rh	-	4E+4	1E-5	5E-8	-	-	-
45	Rhodium-107 ²	D, see ^{99m} Rh	7E+4 St. wall (9E+4)	2E+5	1E-4	3E-7	-	-	-
		W, see ^{99m} Rh	-	3E+5	1E-4	4E-7	1E-3	1E-2	-
		Y, see ^{99m} Rh	-	3E+5	1E-4	3E-7	-	-	-
46	Palladium-100	D, all compounds except those given for W and Y	1E+3	1E+3	6E-7	2E-9	2E-5	2E-4	-
		W, nitrates	-	1E+3	5E-7	2E-9	-	-	-
		Y, oxides and hydroxides	-	1E+3	6E-7	2E-9	-	-	-
46	Palladium-101	D, see ¹⁰⁰ Pd	1E+4	3E+4	1E-5	5E-8	2E-4	2E-3	-
		W, see ¹⁰⁰ Pd	-	3E+4	2E-5	9E-8	-	-	-
		Y, see ¹⁰⁰ Pd	-	3E+4	1E-5	4E-8	-	-	-
46	Palladium-103	D, see ¹⁰⁰ Pd	6E+3 LLI wall (7E+3)	6E+3	3E-6	9E-9	-	-	-
		W, see ¹⁰⁰ Pd	-	4E+3	2E-6	6E-9	1E-4	1E-3	-
		Y, see ¹⁰⁰ Pd	-	4E+3	1E-6	5E-9	-	-	-
46	Palladium-107	D, see ¹⁰⁰ Pd	3E+4 LLI wall (4E+4)	2E+4 (2E+4)	9E-6	-	-	-	-
		W, see ¹⁰⁰ Pd	-	7E+3	3E-6	1E-8	5E-4	5E-3	-
		Y, see ¹⁰⁰ Pd	-	4E+2	2E-7	6E-10	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
46	Palladium-109	D, see ^{100}Pd W, see ^{100}Pd Y, see ^{100}Pd	2E+3	6E+3	3E-6	9E-9	3E-5	2E-4	
47	Silver-102 ²	D, all compounds except those given for W and Y	5E+4 St. wall (6E+4)	2E+5	8E-5	2E-7	-	-	
		W, nitrates and sulfides	-	2E+5	9E-5	3E-7	-	-	
		Y, oxides and hydroxides	-	2E+5	8E-5	3E-7	-	-	
47	Silver-103 ²	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	4E+4	1E+5	4E-5	1E-7	5E-4	5E-3	
47	Silver-104n ²	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	3E+4	9E+4	4E-5	1E-7	4E-4	4E-3	
47	Silver-104 ²	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	2E+4	7E+4	3E-5	1E-7	3E-4	3E-3	
47	Silver-105	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	3E+3	1E+3	4E-7	1E-9	4E-5	4E-4	
47	Silver-106m	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	8E+2	7E+2	3E-7	1E-9	1E-5	1E-4	
47	Silver-106 ²	D, see ^{102}Ag	6E+4 St. wall (6E+4)	2E+5	8E-5	3E-7	-	-	
		W, see ^{102}Ag	-	2E+5	9E-5	3E-7	-	9E-4	
		Y, see ^{102}Ag	-	2E+5	8E-5	3E-7	-	9E-3	
47	Silver-108m	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	6E+2	2E+2	8E-8	3E-10	9E-6	9E-5	
47	Silver-110m	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	5E+2	1E+2	5E-8	2E-10	6E-6	6E-5	
47	Silver-111	D, see ^{102}Ag	9E+2 LLI wall (1E+3)	2E+3 (2E+3)	6E-7	-	-	-	
		W, see ^{102}Ag	-	9E+2	4E-7	2E-9	2E-5	2E-4	
		Y, see ^{102}Ag	-	9E+2	4E-7	1E-9	-	-	
47	Silver-112	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	3E+3	8E+3	3E-6	1E-8	4E-5	4E-4	

Atomic No.	Radionuclide	Class	Table 2 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALT (μCi)	Col. 2 Inhalation ALT (μCi)	Col. 3 DWL ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
47	Silver-115 ²	D, see ¹⁰² Ag	3E+4 St. wall (3E+4)	9E+0	4E-5	1E-7	-	-	
		W, see ¹⁰² Ag	-	9E+4	4E-5	1E-7	4E-4	4E-3	
		Y, see ¹⁰² Ag	-	8E+4	3E-5	1E-7	-	-	
48	Cadmium-104 ²	D, all compounds except those given for W and Y	2E+4	7E+4	3E-5	9E-8	3E-4	3E-3	
		W, sulfides, halides, and nitrates	-	1E+5	5E-5	2E-7	-	-	
		Y, oxides and hydroxides	-	1E+5	5E-5	2E-7	-	-	
48	Cadmium-107	D, see ¹⁰⁴ Cd	2E+4	9E+4	2E-5	8E-8	3E-4	3E-3	
		W, see ¹⁰⁴ Cd	-	8E+4	2E-5	8E-8	-	-	
		Y, see ¹⁰⁴ Cd	-	8E+4	2E-5	7E-8	-	-	
48	Cadmium-109	D, see ¹⁰⁴ Cd	3E+2 Kidneys (4E+2)	4E+3 (5E+1)	1E-8	-	-	-	
		W, see ¹⁰⁴ Cd	-	1E+2	9E-8	7E-11	6E-6	6E-5	
		Y, see ¹⁰⁴ Cd	-	(1E+2)	5E-8	2E-10	-	-	
48	Cadmium-113m	D, see ¹⁰⁴ Cd	2E+1 Kidneys (4E+1)	2E+0 (4E+0)	1E-9	-	-	-	
		W, see ¹⁰⁴ Cd	-	8E+0	4E-9	5E-12	5E-7	5E-6	
		Y, see ¹⁰⁴ Cd	-	(1E+1)	5E-9	2E-11	-	-	
48	Cadmium-113	D, see ¹⁰⁴ Cd	2E+1 Kidneys (3E+1)	2E+0 (3E+0)	9E-10	-	-	-	
		W, see ¹⁰⁴ Cd	-	8E+0	3E-9	5E-12	4E-7	4E-6	
		Y, see ¹⁰⁴ Cd	-	(1E+1)	6E-9	2E-11	-	-	
48	Cadmium-115m	D, see ¹⁰⁴ Cd	3E+2	5E+1 Kidneys (9E+1)	2E-8	-	4E-6	4E-5	
		W, see ¹⁰⁴ Cd	-	1E+2	5E-8	1E-10	-	-	
		Y, see ¹⁰⁴ Cd	-	1E+2	6E-8	2E-10	-	-	
48	Cadmium-115	D, see ¹⁰⁴ Cd	9E+2 (1E+3) (1E+3)	1E+3	6E-7	2E-9	-	-	
		W, see ¹⁰⁴ Cd	-	1E+3	5E-7	2E-9	1E-5	1E-4	
		Y, see ¹⁰⁴ Cd	-	1E+3	6E-7	2E-9	-	-	
48	Cadmium-117m	D, see ¹⁰⁴ Cd	5E+3	1E+4	5E-6	2E-8	6E-5	6E-4	
		W, see ¹⁰⁴ Cd	-	2E+4	7E-6	2E-8	-	-	
		Y, see ¹⁰⁴ Cd	-	1E+4	6E-6	2E-8	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)		Col. 2 Inhalation ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			Col. 1	Col. 2	Col. 3				
48	Cadmium-117	D, see ^{104}Cd W, see ^{104}Cd Y, see ^{104}Cd	5E+3	2E+4	5E-6	2E-8	6E-5	6E-4	
			-	2E+4	7E-6	2E-8	-	-	
			-	1E+4	6E-6	2E-8	-	-	
49	Indium-109	D, all compounds except those given for W W, oxides, hydroxides, halides, and nitrates	2E+4	4E+4	2E-5	6E-8	3E-4	3E-3	
			-	6E+4	3E-5	9E-8	-	-	
49	Indium-110 ² (69.1 min)	D, see ^{109}In W, see ^{109}In	2E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
49	Indium-110	D, see ^{109}In W, see ^{109}In	5E+3	2E+4	7E-6	2E-8	7E-5	7E-4	
49	Indium-111	D, see ^{109}In W, see ^{109}In	4E+3	6E+3	3E-6	9E-9	6E-5	6E-4	
49	Indium-112 ²	D, see ^{109}In W, see ^{109}In	2E+5	6E+5	3E-4	9E-7	2E-3	2E-2	
49	Indium-113m ²	D, see ^{109}In W, see ^{109}In	5E+4	1E+5	6E-5	2E-7	7E-4	7E-3	
49	Indium-114m	D, see ^{109}In W, see ^{109}In	3E+2 (4E+2) LLI wall	6E+1	3E-8	9E-11	-	-	
			-	-	-	-	5E-6	5E-5	
49	Indium-115m	D, see ^{109}In W, see ^{109}In	1E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
49	Indium-115	D, see ^{109}In W, see ^{109}In	4E+1	1E+0	6E-10	2E-12	5E-7	5E-6	
49	Indium-116m ²	D, see ^{109}In W, see ^{109}In	2E+4	8E+4	3E-5	1E-7	3E-4	3E-3	
49	Indium-117m ²	D, see ^{109}In W, see ^{109}In	1E+4	3E+4	1E-5	5E-8	2E-4	2E-3	
49	Indium-117 ²	D, see ^{109}In W, see ^{109}In	6E+4	2E+5	7E-5	2E-7	8E-4	8E-3	
49	Indium-119m ²	D, see ^{109}In W, see ^{109}In	4E+4 (5E+4) St. wall	1E+5	5E-5	2E-7	-	-	
			-	1E+5	6E-5	2E-7	7E-4	7E-3	
50	Tin-110	D, all compounds except those given for W W, sulfides, oxides, hydroxides, halides, nitrates, and stannic phosphate	4E+3	1E+4	5E-6	2E-8	5E-5	5E-4	
			-	1E+4	5E-6	2E-8	-	-	
50	Tin-111 ²	D, see ^{110}Sn W, see ^{110}Sn	7E+4	2E+5	9E-5	3E-7	1E-3	1E-2	
			-	3E+5	1E-4	4E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)		Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			LLI wall ($2E+3$)	-	1E+3	5E-7	2E-9	-	-
50	Tin-113	D, see ^{110}Sn	2E+3 LLI wall ($2E+3$)	-	1E+3	5E-7	2E-9	-	-
		W, see ^{110}Sn	-	5E+2	2E-7	8E-10	-	3E-5	3E-4
50	Tin-117m	D, see ^{110}Sn	2E+3 LLI wall ($2E+3$)	1E+3 Bone surf ($2E+3$)	5E-7	-	-	-	-
		W, see ^{110}Sn	-	1E+3	6E-7	3E-9 2E-9	3E-5	3E-4	-
50	Tin-119m	D, see ^{110}Sn	3E+3 LLI wall ($4E+3$)	2E+3	1E-6	3E-9	-	-	-
		W, see ^{110}Sn	-	1E+3	4E-7	1E-9	-	6E-5	6E-4
50	Tin-121m	D, see ^{110}Sn	3E+3 LLI wall ($4E+3$)	9E+2	4E-7	1E-9	-	-	-
		W, see ^{110}Sn	-	5E+2	2E-7	8E-10	-	5E-5	5E-4
50	Tin-121	D, see ^{110}Sn	6E+3 LLI wall ($6E+3$)	2E+4	6E-6	2E-8	-	-	-
		W, see ^{110}Sn	-	1E+4	5E-6	2E-8	8E-5	8E-4	-
50	Tin-123m ²	D, see ^{110}Sn	5E+4	1E+5	5E-5	2E-7 2E-7	7E-4	7E-3	-
		W, see ^{110}Sn	-	1E+5	6E-5	-	-	-	-
50	Tin-123	D, see ^{110}Sn	5E+2 LLI wall ($6E+2$)	6E+2	3E-7	9E-10	-	-	-
		W, see ^{110}Sn	-	2E+2	7E-8	2E-10	-	9E-6	9E-5
50	Tin-125	D, see ^{110}Sn	4E+2 LLI wall ($5E+2$)	9E+2	4E-7	1E-9	-	-	-
		W, see ^{110}Sn	-	4E+2	1E-7	5E-10	-	6E-6	6E-5
50	Tin-126	D, see ^{110}Sn	3E+2	6E+1	2E-8	8E-11	4E-6	4E-5	-
		W, see ^{110}Sn	-	7E+1	3E-8	9E-11	-	-	-
50	Tin-127	D, see ^{110}Sn	7E+3	2E+4	8E-6	3E-8 3E-8	9E-5	9E-4	-
		W, see ^{110}Sn	-	2E+4	8E-6	-	-	-	-
50	Tin-128 ²	D, see ^{110}Sn	9E+3	3E+4	1E-5	4E-8 5E-8	1E-4	1E-3	-
		W, see ^{110}Sn	-	4E+4	1E-5	-	-	-	-
51	Antimony-115 ²	D, all compounds except those given for W	8E+4	2E+5	1E-4	3E-7	1E-3	1E-2	-
		W, oxides, hydroxides, halides, sulfides, sulfates, and nitrates	-	3E+5	1E-4	4E-7	-	-	-
51	Antimony-116m ²	D, see ^{115}Sb	2E+4	7E+4	3E-5	1E-7 2E-7	3E-4	3E-3	-
		W, see ^{115}Sb	-	1E+5	6E-5	-	-	-	-
51	Antimony-116 ²	D, see ^{115}Sb	7E+4 St. wall ($9E+4$)	3E+5	1E-4	4E-7	-	-	-
		W, see ^{115}Sb	-	3E+5	1E-4	5E-7	1E-3	1E-2	-
51	Antimony-117	D, see ^{115}Sb	7E+4	2E+5	9E-5	3E-7 4E-7	9E-4	9E-3	-
		W, see ^{115}Sb	-	3E+5	1E-4	-	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Oral Ingestion		Inhalation	Col. 1 Air (μCi)	Col. 2 Dose ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)						
51	Antimony-118m	D, see ^{115}Sb W, see ^{115}Sb	6E+3 5E+3	2E+4 2E+4	8E-6 9E-6	3E-8 3E-8	7E-5 -	7E-4 -		
51	Antimony-119	D, see ^{115}Sb W, see ^{115}Sb	2E+4 2E+4	5E+4 3E+4	2E-5 1E-5	6E-8 4E-8	2E-4 -	2E-3 -		
51	Antimony-120 ¹ (16 min)	D, see ^{115}Sb W, see ^{115}Sb	1E+5 (2E+5)	4E+5 -	2E-4 -	6E-7 -	- 2E-3	- 2E-2		
51	Antimony-120 (5.76 d)	D, see ^{115}Sb W, see ^{115}Sb	1E+3 9E+2	2E+3 1E+3	9E-7 5E-7	3E-9 2E-9	1E-5 -	1E-4 -		
51	Antimony-122	D, see ^{115}Sb W, see ^{115}Sb	8E+2 (7E+2)	2E+3 1E+3	1E-6 4E-7	3E-9 2E-9	- 1E-5	- 1E-4		
51	Antimony-124m ²	D, see ^{115}Sb W, see ^{115}Sb	3E+5 2E+5	8E+5 6E+5	4E-4 2E-4	1E-6 8E-7	3E-3 -	3E-2 -		
51	Antimony-124	D, see ^{115}Sb W, see ^{115}Sb	6E+2 5E+2	9E+2 2E+2	4E-7 1E-7	1E-9 3E-10	7E-6 -	7E-5 -		
51	Antimony-125	D, see ^{115}Sb W, see ^{115}Sb	2E+3 -	2E+3 5E+2	1E-6 2E-7	3E-9 7E-10	3E-5 -	3E-4 -		
51	Antimony-126m ²	D, see ^{115}Sb W, see ^{115}Sb	5E+4 (7E+4)	2E+5 -	8E-5 -	3E-7 -	- 9E-4	- 9E-3		
51	Antimony-126	D, see ^{115}Sb W, see ^{115}Sb	6E+2 5E+2	1E+3 2E+2	5E-7 2E-7	2E-9 7E-10	7E-6 -	7E-5 -		
51	Antimony-127	D, see ^{115}Sb W, see ^{115}Sb	8E+2 (8E+2)	2E+3 7E+2	9E-7 9E+2	3E-9 4E-7	- 1E-9	- 1E-5		
51	Antimony-128 ² (10.4 min)	D, see ^{115}Sb W, see ^{115}Sb	8E+4 (1E+5)	4E+5 -	2E-4 4E+5	5E-7 2E-4	- 6E-7	- 1E-3		
51	Antimony-128 (9.01 h)	D, see ^{115}Sb W, see ^{115}Sb	1E+3 -	4E+3 3E+3	2E-6 1E-6	6E-9 5E-9	2E-5 -	2E-4 -		
51	Antimony-129	D, see ^{115}Sb W, see ^{115}Sb	3E+3 -	9E+3 8E+4	4E-6 3E-5	1E-8 1E-7	4E-5 -	4E-4 -		
51	Antimony-130 ²	D, see ^{115}Sb W, see ^{115}Sb	2E+4 -	6E+4 8E+4	3E-5 3E-5	9E-8 1E-7	3E-4 -	3E-3 -		
51	Antimony-131 ²	D, see ^{115}Sb W, see ^{115}Sb	1E+4 (2E+4)	2E+4 2E+4 -	1E-5 1E-5 -	- 6E-8 6E-8	- 2E-4 -	- 2E-3		

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
52	Tellurium-116	D, all compounds except those given for W	8E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
		W, oxides, hydroxides, and nitrates	-	3E+4	1E-5	4E-8	-	-	
52	Tellurium-121m	D, see ^{116}Te	5E+2 (7E+2)	2E+2 Bone surf (4E+2)	8E-8	-	-	-	
		W, see ^{116}Te	-	4E+2	2E-7	5E-10 6E-10	1E-5	1E-4	
52	Tellurium-121	D, see ^{116}Te	3E+3	4E+3	2E-6	6E-9	4E-5	4E-4	
		W, see ^{116}Te	3E+3	1E-6	4E-9	-	-	-	
52	Tellurium-123m	D, see ^{116}Te	6E+2 (1E+3)	2E+2 Bone surf (5E+2)	9E-8	-	-	-	
		W, see ^{116}Te	-	5E+2	2E-7	8E-10 8E-10	1E-5	1E-4	
52	Tellurium-123	D, see ^{116}Te	5E+2 (1E+3)	2E+2 Bone surf (5E+2)	8E-8	-	-	-	
		W, see ^{116}Te	-	4E+2 Bone surf (1E+3)	2E-7	7E-10	2E-5	2E-4	
52	Tellurium-125m	D, see ^{116}Te	1E+3 (1E+3)	4E+2 Bone surf (1E+3)	2E-7	-	-	-	
		W, see ^{116}Te	-	7E+2	3E-7	1E-9 1E-9	2E-5	2E-4	
52	Tellurium-127m	D, see ^{116}Te	6E+2	3E+2 Bone surf (4E+2)	1E-7	-	9E-6	9E-5	
		W, see ^{116}Te	-	3E+2	1E-7	6E-10 4E-10	-	-	
52	Tellurium-127	D, see ^{116}Te	7E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
		W, see ^{116}Te	-	2E+4	7E-6	2E-8	-	-	
52	Tellurium-129m	D, see ^{116}Te	5E+2	6E+2	3E-7	9E-10	7E-6	7E-5	
		W, see ^{116}Te	-	2E+2	1E-7	3E-10	-	-	
52	Tellurium-129 ²	D, see ^{116}Te	3E+4	6E+4	3E-5	9E-8	4E-4	4E-3	
		W, see ^{116}Te	-	7E+4	3E-5	1E-7	-	-	
52	Tellurium-131m	D, see ^{116}Te	3E+2 (6E+2)	4E+2 Thyroid (1E+3)	2E-7	-	-	-	
		W, see ^{116}Te	-	4E+2 Thyroid (2E+2)	2E-7	2E-9	8E-6	8E-5	
52	Tellurium-131 ²	D, see ^{116}Te	3E+3 (6E+3)	5E+3 Thyroid (1E+4)	2E-6	-	-	-	
		W, see ^{116}Te	-	5E+3 Thyroid (2E+6)	2E-6	2E-8	8E-5	8E-4	
			-	(1E+4)	-	2E-8	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
52	Tellurium-132	D, see ^{116}Te	2E+2 Thyroid (7E+2)	2E+2 Thyroid (8E+2)	9E-8	-	-	-	-
		W, see ^{116}Te	-	2E+2 Thyroid (6E+2)	9E-8	1E-9	9E-6	9E-5	-
52	Tellurium-133 ²	D, see ^{116}Te	3E+3 Thyroid (6E+3)	5E+3 Thyroid (1E+4)	2E-6	-	-	-	-
		W, see ^{116}Te	-	5E+3 Thyroid (1E+4)	2E-6	2E-8	9E-5	9E-4	-
52	Tellurium-133 ²	D, see ^{116}Te	1E+4 Thyroid (3E+4)	2E+4 Thyroid (6E+4)	9E-6	-	-	-	-
		W, see ^{116}Te	-	2E+4 Thyroid (6E+4)	9E-6	8E-8	4E-4	4E-3	-
52	Tellurium-134 ²	D, see ^{116}Te	2E+4 Thyroid (2E+4)	2E+4 Thyroid (5E+4)	1E-5	-	-	-	-
		W, see ^{116}Te	-	2E+4 Thyroid (5E+4)	1E-5	7E-8	3E-4	3E-3	-
53	Iodine-120n ²	D, all compounds	1E+4 Thyroid (1E+4)	2E+4	9E-6	3E-8	-	-	-
		-	-	-	-	2E-4	2E-3	-	-
53	Iodine-120 ²	D, all compounds	4E+3 Thyroid (8E+3)	9E+3 Thyroid (1E+4)	4E-6	-	-	-	-
		-	-	2E+4 Thyroid (5E+4)	1E-5	2E-8	1E-4	1E-3	-
53	Iodine-121	D, all compounds	1E+4 Thyroid (3E+4)	2E+4 Thyroid (5E+4)	8E-6	-	-	-	-
		-	-	2E+4 Thyroid (5E+4)	-	7E-8	4E-4	4E-3	-
53	Iodine-123	D, all compounds	3E+3 Thyroid (1E+4)	6E+3 Thyroid (2E+4)	3E-6	-	-	-	-
		-	-	2E+4 Thyroid (2E+4)	-	2E-8	1E-4	1E-3	-
53	Iodine-124	D, all compounds	5E+1 Thyroid (2E+2)	8E+1 Thyroid (3E+2)	3E-8	-	-	-	-
		-	-	2E+2 Thyroid (3E+2)	-	4E-10	2E-6	2E-5	-
53	Iodine-125	D, all compounds	4E+1 Thyroid (1E+2)	6E+1 Thyroid (2E+2)	3E-8	-	-	-	-
		-	-	2E+2 Thyroid (1E+2)	-	3E-10	2E-6	2E-5	-
53	Iodine-126	D, all compounds	2E+1 Thyroid (7E+1)	4E+1 Thyroid (1E+2)	1E-8	-	-	-	-
		-	-	1E+2 Thyroid (1E+2)	-	2E-10	1E-6	1E-5	-
52	Iodine-128 ²	D, all compounds	4E+4 St. wall (6E+4)	1E+5	5E-5	2E-7	-	-	-
		-	-	-	-	8E-4	8E-3	-	-
53	Iodine-129	D, all compounds	5E+0 Thyroid (2E+1)	9E+0 Thyroid (3E+1)	4E-9	-	-	-	-
		-	-	4E-11	2E-7	2E-6	-	-	-

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
53	Iodine-130	D, all compounds	4E+2 Thyroid (1E+3)	7E+2 Thyroid (2E+3)	3E-7	-	-	-	-
53	Iodine-131	D, all compounds	3E+1 Thyroid (9E+1)	5E+1 Thyroid (2E+2)	2E-8	-	-	-	-
53	Iodine-132 ²	D, all compounds	4E+3 Thyroid (1E+4)	8E+3 Thyroid (2E+4)	4E-6	-	-	-	-
53	Iodine-132	D, all compounds	4E+3 Thyroid (9E+3)	8E+3 Thyroid (1E+4)	3E-6	-	-	-	-
53	Iodine-133	D, all compounds	1E+2 Thyroid (5E+2)	3E+2 Thyroid (9E+2)	1E-7	-	-	-	-
53	Iodine-134 ²	D, all compounds	2E+4 Thyroid (3E+4)	5E+4	2E-5	6E-8	-	-	-
53	Iodine-135	D, all compounds	8E+2 Thyroid (3E+3)	2E+3 Thyroid (4E+3)	7E-7	-	-	-	-
54	Xenon-120 ²	Submersion ¹	-	-	1E-5	4E-8	-	-	-
54	Xenon-121 ²	Submersion ¹	-	-	2E-6	1E-8	-	-	-
54	Xenon-122	Submersion ¹	-	-	7E-5	3E-7	-	-	-
54	Xenon-123	Submersion ¹	-	-	6E-6	3E-8	-	-	-
54	Xenon-125	Submersion ¹	-	-	2E-5	7E-8	-	-	-
54	Xenon-127	Submersion ¹	-	-	1E-5	6E-8	-	-	-
54	Xenon-129m	Submersion ¹	-	-	2E-4	9E-7	-	-	-
54	Xenon-131m	Submersion ¹	-	-	4E-4	2E-6	-	-	-
54	Xenon-133m	Submersion ¹	-	-	1E-4	6E-7	-	-	-
54	Xenon-133	Submersion ¹	-	-	1E-4	5E-7	-	-	-
54	Xenon-135m ²	Submersion ¹	-	-	9E-6	4E-8	-	-	-
54	Xenon-135	Submersion ¹	-	-	1E-5	7E-8	-	-	-
54	Xenon-138 ²	Submersion ¹	-	-	4E-6	2E-8	-	-	-
55	Cesium-125 ²	D, all compounds	5E+4 St. wall (9E+4)	1E+5	6E-5	2E-7	-	-	-
55	Cesium-127	D, all compounds	6E+4	9E+4	4E-5	1E-7	9E-4	9E-3	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
55	Cesium-129	D, all compounds	2E+4	3E+4	1E-5	5E-8	3E-4	3E-3	
55	Cesium-130 ²	D, all compounds	6E+4 St. wall (1E+5)	2E+5	8E-5	3E-7	-	1E-2	
55	Cesium-131	D, all compounds	2E+4	3E+4	1E-5	4E-8	3E-4	3E-3	
55	Cesium-132	D, all compounds	3E+3	4E+3	2E-6	6E-9	4E-5	4E-4	
55	Cesium-134m	D, all compounds	1E+5 St. wall (1E+5)	1E+5	6E-5	2E-7	-	-	
55	Cesium-134	D, all compounds	7E+1	1E+2	4E-8	2E-10	9E-7	9E-6	
55	Cesium-135m ²	D, all compounds	1E+5	2E+5	8E-5	3E-7	1E-3	1E-2	
55	Cesium-135	D, all compounds	7E+2	1E+3	5E-7	2E-9	1E-5	1E-4	
55	Cesium-136	D, all compounds	4E+2	7E+2	3E-7	9E-10	6E-6	6E-5	
55	Cesium-137	D, all compounds	1E+2	2E+2	6E-8	2E-10	1E-6	1E-5	
55	Cesium-138 ²	D, all compounds	2E+4 St. wall (3E+4)	6E+4	2E-5	6E-8	-	-	
56	Barium-126 ²	D, all compounds	6E+3	2E+4	6E-6	2E-8	8E-5	8E-4	
56	Barium-128	D, all compounds	5E+2	2E+3	7E-7	2E-9	7E-6	7E-5	
56	Barium-131m ²	D, all compounds	4E+5 St. wall (5E+5)	1E+6	6E-4	2E-6	-	-	
56	Barium-131	D, all compounds	3E+3	8E+3	3E-6	1E-8	4E-5	4E-4	
56	Barium-133m	D, all compounds	2E+3 LLI wall (3E+3)	9E+3	4E-6	1E-8	-	-	
56	Barium-133	D, all compounds	2E+3	7E+2	3E-7	9E-10	2E-5	2E-4	
56	Barium-135m	D, all compounds	3E+3	1E+4	5E-6	2E-8	4E-5	4E-4	
56	Barium-139 ²	D, all compounds	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
56	Barium-140	D, all compounds	5E+2 LLI wall (6E+2)	1E+3	6E-7	2E-9	-	-	
56	Barium-141 ²	D, all compounds	2E+4	7E+4	3E-5	1E-7	3E-4	3E-3	
56	Barium-142 ²	D, all compounds	5E+4	1E+5	6E-5	2E-7	7E-4	7E-3	
57	Lanthanum-131 ²	D, all compounds except those given for W W, oxides and hydroxides	5E+4	1E+5	5E-5	2E-7	6E-4	6E-3	
			-	2E+5	7E-5	2E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Oral Ingestion		Inhalation	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)
			AI	DAC					
57	Lanthanum-132	D, W, see ^{131}La	$3E+3$ -	$1E+4$ $1E+4$	$4E-6$ $5E-6$	$1E-8$ $2E-8$	$4E-5$ -	$4E-4$ -	
57	Lanthanum-135	D, see ^{131}La W, see ^{131}La	$4E+4$ -	$1E+5$ $9E+4$	$4E-5$ $4E-5$	$1E-7$ $1E-7$	$5E-4$ -	$5E-3$ -	
57	Lanthanum-137	D, see ^{131}La W, see ^{131}La	$1E+4$ -	$6E+1$ $(7E+1)$ $3E+2$ $(3E+2)$	$3E-8$ -	-	$2E-4$ -	$2E-3$ -	
57	Lanthanum-138	D, see ^{131}La W, see ^{131}La	$9E+2$ -	$4E+0$ $1E+1$	$1E-9$ $6E-9$	$5E-12$ $2E-11$	$1E-5$ -	$1E-4$ -	
57	Lanthanum-140	D, see ^{131}La W, see ^{131}La	$6E+2$ -	$1E+3$ $1E+3$	$6E-7$ $5E-7$	$2E-9$ $2E-9$	$9E-6$ -	$9E-5$ -	
57	Lanthanum-141	D, see ^{131}La W, see ^{131}La	$4E+3$ -	$9E+3$ $1E+4$	$4E-6$ $5E-6$	$1E-8$ $2E-8$	$5E-5$ -	$5E-4$ -	
57	Lanthanum-142 ²	D, see ^{131}La W, see ^{131}La	$8E+3$ -	$2E+4$ $3E+4$	$9E-6$ $1E-5$	$3E-8$ $5E-8$	$1E-4$ -	$1E-3$ -	
57	Lanthanum-143 ²	D, see ^{131}La W, see ^{131}La	$4E+4$ $(4E+4)$	$1E+5$ -	$4E-5$ $9E+4$	$1E-7$ $2E-7$	-	-	
58	Cerium-134	W, all compounds except those given for Y Y, oxides, hydroxides, and fluorides	$5E+2$ $(6E+2)$	$7E+2$ -	$3E-7$ -	$1E-9$ -	-	-	
58	Cerium-135	W, see ^{134}Ce Y, see ^{134}Ce	$2E+3$ -	$4E+3$ $4E+3$	$2E-6$ $5E-6$	$5E-9$ $5E-9$	$2E-5$ -	$2E-4$ -	
58	Cerium-137m	W, see ^{134}Ce Y, see ^{134}Ce	$2E+3$ $(2E+3)$	$4E+3$ -	$2E-6$ $4E+3$	$6E-9$ $5E-9$	-	-	
58	Cerium-127	W, see ^{134}Ce Y, see ^{134}Ce	$5E+4$ -	$1E+5$ $1E+5$	$6E-5$ $5E-5$	$2E-7$ $2E-7$	$7E-4$ -	$7E-3$ -	
58	Cerium-139	W, see ^{134}Ce Y, see ^{134}Ce	$5E+3$ -	$8E+2$ $7E+2$	$3E-7$ $3E-7$	$1E-9$ $9E-10$	$7E-5$ -	$7E-4$ -	
58	Cerium-141	W, see ^{134}Ce Y, see ^{134}Ce	$2E+3$ $(2E+3)$	$7E+2$ -	$3E-7$ $6E+2$	$1E-9$ $2E-7$	-	-	
58	Cerium-143	W, see ^{134}Ce Y, see ^{134}Ce	$1E+3$ $(1E+3)$	$2E+3$ -	$8E-7$ $2E+3$	$3E-9$ $2E-9$	$2E-5$ -	$2E-4$ -	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μ Ci)	Inhalation AI (μ Ci)		Col. 1 Air (μ Ci/ml)	Col. 2 Water (μ Ci/ml)	Monthly Average Concentration (μ Ci/ml)	
				Col. 2 Lli wall (3E+2)	Col. 3 DAC (μ Ci/ml)				
58	Cerium-144	W, see ^{134}Ce	2E+2 Lli wall (3E+2)	3E+1	1E-8	4E-11	-	-	
		Y, see ^{134}Ce	-	1E+1	6E-9	-	3E-6	3E-5	
59	Praseodymium-136 ²	W, all compounds except those given for Y	5E+4 St. wall (7E+4)	2E+5	1E-4	3E-7	-	-	
		Y, oxides, hydroxides, carbides, and fluorides	-	2E+5	9E-5	3E-7	1E-3	1E-2	
59	Praseodymium-137 ²	W, see ^{136}Pr	4E+4	2E+5	6E-5	2E-7	5E-4	5E-3	
		Y, see ^{136}Pr	-	1E+5	6E-5	2E-7	-	-	
59	Praseodymium-138 ²	W, see ^{136}Pr	1E+4	5E+4	2E-5	8E-8	1E-4	1E-3	
		Y, see ^{136}Pr	-	4E+4	2E-5	6E-8	-	-	
59	Praseodymium-139 ²	W, see ^{136}Pr	4E+4	1E+5	5E-5	2E-7	6E-4	6E-3	
		Y, see ^{136}Pr	-	1E+5	5E-5	2E-7	-	-	
59	Praseodymium-142m ²	W, see ^{136}Pr	8E+4	2E+5	7E-5	2E-7	1E-3	1E-2	
		Y, see ^{136}Pr	-	1E+5	6E-5	2E-7	-	-	
59	Praseodymium-142 ²	W, see ^{136}Pr	1E+3	2E+3	9E-7	3E-9	1E-5	1E-4	
		Y, see ^{136}Pr	-	2E+3	8E-7	3E-9	-	-	
59	Praseodymium-143 ²	W, see ^{136}Pr	9E+2 Lli wall (1E+3)	8E+2	3E-7	1E-9	-	-	
		Y, see ^{136}Pr	-	7E+2	3E-7	9E-10	-	-	
59	Praseodymium-144 ²	W, see ^{136}Pr	3E+4 St. wall (4E+4)	1E+5	5E-5	2E-7	-	-	
		Y, see ^{136}Pr	-	1E+5	5E-5	2E-7	6E-4	6E-3	
59	Praseodymium-145 ²	W, see ^{136}Pr	3E+3	9E+3	4E-6	1E-8	4E-5	4E-4	
		Y, see ^{136}Pr	-	8E+3	3E-6	1E-8	-	-	
59	Praseodymium-147 ²	W, see ^{136}Pr	5E+4 St. wall (8E+4)	2E+5	8E-5	3E-7	-	-	
		Y, see ^{136}Pr	-	2E+5	8E-5	3E-7	1E-3	1E-2	
60	Neodymium-136 ²	W, all compounds except those given for Y	1E+4	6E+4	2E-5	8E-8	2E-4	2E-3	
		Y, oxides, hydroxides, carbides, and fluorides	-	5E+4	2E-5	8E-8	-	-	
60	Neodymium-138	W, see ^{136}Nd	2E+3	6E+3	3E-6	9E-9	3E-5	3E-4	
		Y, see ^{136}Nd	-	5E+3	2E-6	7E-9	-	-	
60	Neodymium-139m	W, see ^{136}Nd	5E+3	2E+4	7E-6	2E-8	7E-5	7E-4	
		Y, see ^{136}Nd	-	1E+4	6E-6	2E-8	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion All (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)		
				All (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
60	Neodymium-139 ²	W, see ^{136}Nd Y, see ^{136}Nd	9E+4 -	3E+5 3E+5	1E-4 1E-4	5E-7 4E-7	1E-3 -	1E-2 -	
60	Neodymium-141	W, see ^{136}Nd Y, see ^{136}Nd	2E+5 -	7E+5 6E+5	3E-4 3E-4	1E-6 9E-7	2E-3 -	2E-2 -	
60	Neodymium-147	W, see ^{136}Nd Y, see ^{136}Nd	1E+3 (1E+3) -	9E+2 -	4E-7 4E-7	1E-9 1E-9	- -	- -	
60	Neodymium-149 ²	W, see ^{136}Nd Y, see ^{136}Nd	1E+4 -	3E+4 2E+4	1E-5 1E-5	4E-8 3E-8	1E-4 -	1E-3 -	
60	Neodymium-151 ²	W, see ^{136}Nd Y, see ^{136}Nd	7E+4 -	2E+5 2E+5	8E-5 8E-5	3E-7 3E-7	9E-4 -	9E-3 -	
61	Promethium-141 ²	W, all compounds except those given for Y Y, oxides, hydroxides, carbides, and fluorides	5E+4 St. wall (6E+4) -	2E+5 -	8E-5 -	3E-7 -	- -	- -	
61	Promethium-143	W, see ^{141}Pm Y, see ^{141}Pm	5E+3 -	6E+2 7E+2	2E-7 3E-7	8E-10 1E-9	7E-5 -	7E-4 -	
61	Promethium-144	W, see ^{141}Pm Y, see ^{141}Pm	1E+3 -	1E+2 1E+2	5E-8 5E-8	2E-10 2E-10	2E-5 -	2E-4 -	
61	Promethium-145	W, see ^{141}Pm Y, see ^{141}Pm	1E+4 -	2E+2 (2E+2) -	7E-8 -	- 3E-10	1E-4 -	1E-3 -	
61	Promethium-146	W, see ^{141}Pm Y, see ^{141}Pm	2E+3 -	5E+1 4E+1	2E-8 2E-8	7E-11 6E-11	2E-5 -	2E-4 -	
61	Promethium-147	W, see ^{141}Pm Y, see ^{141}Pm	4E+3 LLI wall (5E+3) -	1E+2 (2E+2) 1E+2	5E-8 -	- 3E-10	- 7E-5	- 7E-4	
61	Promethium-148m	W, see ^{141}Pm Y, see ^{141}Pm	7E+2 -	3E+2 3E+2	1E-7 1E-7	4E-10 5E-10	1E-5 -	1E-4 -	
61	Promethium-148	W, see ^{141}Pm Y, see ^{141}Pm	4E+2 LLI wall (5E+2) -	5E+2 5E+2	2E-7 2E-7	8E-10 7E-10	- -	- -	
61	Promethium-149	W, see ^{141}Pm Y, see ^{141}Pm	1E+3 LLI wall (1E+3) -	2E+3 -	8E-7 -	3E-9 -	- -	- -	
61	Promethium-150	W, see ^{141}Pm Y, see ^{141}Pm	5E+3 -	2E+4 2E+4	8E-6 7E-6	3E-8 2E-8	7E-5 -	7E-4 -	
61	Promethium-151	W, see ^{141}Pm Y, see ^{141}Pm	2E+3 -	4E+3 3E+3	1E-6 1E-6	5E-9 4E-9	2E-5 -	2E-4 -	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAG ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
62	Samarium-141 ²	W, all compounds	3E+4	1E+5	4E-5	1E-7	4E-4	4E-3	
62	Samarium-141 ²	W, all compounds	5E+4 St. wall (6E+4)	2E+5	8E-5	2E-7	-	8E-4	8E-3
62	Samarium-142 ²	W, all compounds	8E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
62	Samarium-145	W, all compounds	6E+3	5E+2	2E-7	7E-10	8E-5	8E-4	
62	Samarium-146	W, all compounds	1E+1 Bone surf (3E+1)	4E-2 Bone surf (6E-2)	1E-11	-	-	-	
62	Samarium-147	W, all compounds	2E+1 Bone surf (3E+1)	4E-2 Bone surf (7E-2)	2E-11	-	-	-	
62	Samarium-151	W, all compounds	1E+4 LL wall (1E+4)	1E+2 Bone surf (2E+2)	4E-8	-	-	-	
62	Samarium-153	W, all compounds	2E+3 LL wall (2E+3)	3E+3	1E-6	4E-9	-	-	
62	Samarium-155 ²	W, all compounds	6E+4 St. wall (8E+4)	2E+5	9E-5	3E-7	-	-	
62	Samarium-156	W, all compounds	5E+3	9E+3	4E-6	1E-8	7E-5	7E-4	
63	Europium-145	W, all compounds	2E+3	2E+3	8E-7	3E-9	2E-5	2E-4	
63	Europium-146	W, all compounds	1E+3	1E+3	5E-7	2E-9	1E-5	1E-4	
63	Europium-147	W, all compounds	3E+3	2E+3	7E-7	2E-9	4E-5	4E-4	
63	Europium-148	W, all compounds	1E+3	4E+2	1E-7	5E-10	1E-5	1E-4	
63	Europium-149	W, all compounds	1E+4	3E+3	1E-6	4E-9	2E-4	2E-3	
63	Europium-150 (12.62 h)	W, all compounds	3E+3	8E+3	4E-6	1E-8	4E-5	4E-4	
63	Europium-150 (34.2 y)	W, all compounds	8E+2	2E+1	8E-9	3E-11	1E-5	1E-4	
63	Europium-152 ^m	W, all compounds	3E+3	6E+3	3E-6	9E-9	4E-5	4E-4	
63	Europium-152	W, all compounds	8E+2	2E+1	1E-8	3E-11	1E-5	1E-4	
63	Europium-154	W, all compounds	5E+2	2E+1	8E-9	3E-11	7E-6	7E-5	
63	Europium-155	W, all compounds	4E+3 -	9E+1 (1E+2)	4E-8 -	-	5E-5	5E-4	
63	Europium-156	W, all compounds	6E+2	5E+2	2E-7	6E-10	8E-6	8E-5	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 Dose ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
63	Europium-157	W, all compounds	2E+3	5E+3	2E-6	7E-9	3E-5	3E-4	
63	Europium-158 ²	W, all compounds	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	
64	Gadolinium-145 ²	D, all compounds except those given for W	5E+4 St. wall (5E+4)	2E+5	6E-5	2E-7	-	-	
		W, oxides, hydroxides, and fluorides	-	2E+5	7E-5	2E-7	-	-	
64	Gadolinium-146	D, see ¹⁴⁵ Gd	1E+3	1E+2	5E-8	2E-10	2E-5	2E-4	
		W, see ¹⁴⁵ Gd	-	3E+2	1E-7	4E-20	-	-	
64	Gadolinium-147	D, see ¹⁴⁵ Gd	2E+3	6E+3	2E-6	6E-9	3E-5	3E-4	
		W, see ¹⁴⁵ Gd	-	4E+3	1E-6	5E-9	-	-	
64	Gadolinium-148	D, see ¹⁴⁵ Gd	1E+1 Bone surf (2E+1)	8E-3 Bone surf (2E-2)	3E-12	-	-	-	
		W, see ¹⁴⁵ Gd	-	3E-2 Bone surf (6E-2)	1E-11	2E-14	3E-7	3E-6	
			-	-	8E-14	-	-	-	
64	Gadolinium-149	D, see ¹⁴⁵ Gd	3E+3	2E+3	9E-7	3E-9	4E-5	4E-4	
		W, see ¹⁴⁵ Gd	-	2E+3	1E-6	3E-9	-	-	
64	Gadolinium-151	D, see ¹⁴⁵ Gd	6E+3	4E+2 Bone surf (6E+2)	2E-7	-	9E-5	9E-4	
		W, see ¹⁴⁵ Gd	-	1E+3 2E-3	5E-7	5E-10	-	-	
64	Gadolinium-152	D, see ¹⁴⁵ Gd	2E+1 Bone surf (3E+1)	1E-2 Bone surf (2E-2)	4E-12	-	-	-	
		W, see ¹⁴⁵ Gd	-	4E-2 Bone surf (8E-2)	2E-11	3E-14	4E-7	4E-6	
			-	-	3E-13	-	-	-	
64	Gadolinium-153	D, see ¹⁴⁵ Gd	5E+3	1E+2 Bone surf (2E+2)	6E-8	-	6E-5	6E-4	
		W, see ¹⁴⁵ Gd	-	6E+2 2E-7	8E-10	3E-10	-	-	
64	Gadolinium-159	D, see ¹⁴⁵ Gd	3E+3	8E+3	3E-6	1E-8	4E-5	4E-4	
		W, see ¹⁴⁵ Gd	-	6E+3 2E-6	8E-9	-	-	-	
65	Terbium-147 ²	W, all compounds	9E+3	3E+4	1E-5	5E-8	2E-4	1E-3	
65	Terbium-149	W, all compounds	8E+3	7E+2	3E-7	1E-9	2E-5	2E-4	
65	Terbium-150	W, all compounds	8E+3	2E+4	9E-6	3E-8	7E-5	7E-4	
65	Terbium-151	W, all compounds	4E+3	9E+3	6E-6	1E-8	5E-5	5E-4	
65	Terbium-153	W, all compounds	5E+3	7E+3	3E-6	1E-8	7E-5	7E-4	
65	Terbium-154	W, all compounds	2E+3	4E+3	2E-6	6E-9	2E-5	2E-4	
65	T m-155	W, all compounds	6E+3	8E+3	3E-6	1E-8	8E-5	8E-4	
65	T m-156a (5.0 h)	W, all compounds	2E+4	3E+4	1E-5	4E-8	2E-4	2E-3	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
65	Terbium-156 ^m (24.4 h)	W, all compounds	7E+3	8E+3	3E-6	1E-8	1E-4	1E-3	
65	Terbium-156	W, all compounds	1E+3	1E+3	6E-7	2E-9	1E-5	1E-4	
65	Terbium-157	W, all compounds	5E+4 LLI wall (5E+4)	3E+2 Bone surf (6E+2)	1E-7	-	-	-	
65	Terbium-158	W, all compounds	1E+3	2E+1	8E-9	3E-11	2E-5	2E-4	
65	Terbium-160	W, all compounds	8E+2	2E+2	9E-8	3E-10	1E-5	1E-4	
65	Terbium-161	W, all compounds	2E+3 LLI wall (2E+3)	2E+3	7E-7	2E-9	-	-	
66	Dysprosium-155	W, all compounds	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
66	Dysprosium-157	W, all compounds	2E+4	6E+4	3E-5	9E-8	3E-4	3E-3	
66	Dysprosium-159	W, all compounds	1E+4	2E+3	1E-6	3E-9	2E-4	2E-3	
66	Dysprosium-165	W, all compounds	1E+4	5E+4	2E-5	6E-8	2E-4	2E-3	
66	Dysprosium-166	W, all compounds	6E+2 LLI wall (8E+2)	7E+2	3E-7	1E-9	-	-	
67	Holmium-155 ²	W, all compounds	4E+4	2E+5	6E-5	2E-7	6E-4	6E-3	
67	Holmium-157 ²	W, all compounds	3E+5	1E+6	6E-4	2E-6	4E-3	4E-2	
67	Holmium-159 ²	W, all compounds	2E+5	1E+6	4E-4	1E-6	3E-3	3E-2	
67	Holmium-161	W, all compounds	1E+5	4E+5	2E-4	6E-7	3E-3	1E-2	
67	Holmium-162a ²	W, all compounds	5E+4	3E+5	1E-4	4E-7	7E-4	7E-3	
67	Holmium-162 ²	W, all compounds	5E+5 St. wall (8E+5)	2E+6	1E-3	3E-6	-	-	
67	Holmium-164a ²	W, all compounds	1E+5	3E+5	1E-4	4E-7	1E-3	1E-2	
67	Holmium-164 ²	W, all compounds	2E+5 St. wall (2E+5)	6E+5	3E-4	9E-7	-	-	
67	Holmium-166m	W, all compounds	6E+2	7E+0	3E-9	9E-12	9E-6	9E-5	
67	Holmium-166	W, all compounds	9E+2 LLI wall (9E+2)	2E+3	7E-7	2E-9	-	-	
67	Holmium-167	W, all compounds	2E+4	6E+4	2E-5	8E-8	2E-4	2E-3	
68	Erbium-161	W, all compounds	2E+4	6E+4	3E-5	9E-8	2E-4	2E-3	
68	Erbium-165	W, all compounds	6E+4	2E+5	8E-5	3E-7	9E-4	9E-3	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μ Ci)	Col. 2 Inhalation AI (μ Ci)	Col. 3 Dose Rate DAC (μ Ci/m ³)	Col. 1 Air (μ Ci/m ³)	Col. 2 Water (μ Ci/m ³)	Monthly Average Concentration (μ Ci/m ³)	
68	Erbium-169	W, all compounds	3E+3 LLI wall (4E+3)	3E+3	1E-6	4E-9	-	-	-
68	Erbium-171	W, all compounds	4E+3	1E+4	4E-6	1E-8	5E-5	5E-4	
68	Erbium-172	W, all compounds	1E+3 LLI wall (1E+3)	1E+3	6E-7	2E-9	-	-	
69	Thulium-162 ²	W, all compounds	7E+4 St. wall (7E+4)	3E+5	1E-4	4E-7	-	-	
69	Thulium-166	W, all compounds	4E+3	1E+4	6E-6	2E-8	6E-5	6E-4	
69	Thulium-167	W, all compounds	2E+3 LLI wall (2E+3)	2E+3	8E-7	3E-9	-	-	
69	Thulium-170	W, all compounds	8E+2 LLI wall (1E+3)	2E+2	9E-8	3E-10	-	-	
69	Thulium-171	W, all compounds	1E+4 LLI wall (2E+4)	3E+2 Bone surf (6E+2)	1E-7	-	-	-	
69	Thulium-172	W, all compounds	7E+2 LLI wall (8E+2)	1E+3	5E-7	2E-9	-	-	
69	Thulium-173	W, all compounds	4E+3	1E+4	5E-6	2E-8	6E-5	6E-4	
69	Thulium-175 ²	W, all compounds	7E+4 St. wall (9E+4)	3E+5	1E-4	4E-7	-	-	
70	Ytterbium-162 ²	W, all compounds except those given for Y Y, oxides, hydroxides, and fluorides	7E+4	3E+5	1E-4	4E-7	1E-3	1E-2	
70	Ytterbium-166	W, see 162Yb Y, see 162Yb	2E+3 2E+3	2E+3 2E+3	8E-7 8E-7	3E-9 3E-9	2E-5	2E-4	
70	Ytterbium-167 ²	W, see 162Yb Y, see 162Yb	3E+5	8E+5 7E+5	3E-4 3E-4	1E-6 1E-6	4E-3	4E-2	
70	Ytterbium-169	W, see 162Yb Y, see 162Yb	2E+3 2E+3	8E+2 7E+2	4E-7 3E-7	1E-9 1E-9	2E-6	2E-4	
70	Ytterbium-175	W, see 162Yb Y, see 162Yb	3E+3 3E+3	4E+3 3E+3	1E-6 1E-6	5E-9 5E-9	-	-	
70	Ytterbium-177 ²	W, see 162Yb Y, see 162Yb	2E+4 2E+4	5E+4 5E+4	2E-5 2E-5	7E-8 6E-8	2E-4	2E-3	
70	Ytterbium-178 ²	W, see 162Yb Y, see 162Yb	1E+4 1E+4	4E+4 4E+4	2E-5 2E-5	6E-8 5E-8	2E-4	2E-3	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 3	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)	
			AI (μCi)	ALT (μCi)	DAC ($\mu\text{Ci}/\text{ml}$)	Air ($\mu\text{Ci}/\text{ml}$)	Water ($\mu\text{Ci}/\text{ml}$)		
71	Lutetium-169	W, all compounds except those given for Y	3E+3	4E+3	2E-6	6E-9	3E-5	3E-4	
		Y, oxides, hydroxides, and fluorides	-	4E+3	2E-6	6E-9	-	-	
71	Lutetium-170	W, see ^{169}Lu Y, see ^{169}Lu	1E+3	2E+3	9E-7 8E-7	3E-9 3E-9	2E-5	2E-4	
71	Lutetium-171	W, see ^{169}Lu Y, see ^{169}Lu	2E+3	2E+3	8E-7 8E-7	3E-9 3E-9	-	-	
71	Lutetium-172	W, see ^{169}Lu Y, see ^{169}Lu	1E+3	1E+3	5E-7 5E-7	2E-9 2E-9	1E-5	1E-4	
71	Lutetium-173	W, see ^{169}Lu	5E+3	3E+2 3E+2	1E-7 1E-7	-	7E-5	7E-4	
		Y, see ^{169}Lu	-	(5E+2) 3E+2	-	6E-10 4E-10	-	-	
71	Lutetium-174m	W, see ^{169}Lu	2E+3 (3E+3)	2E+2 (3E+2)	1E-7 -	-	-	-	
		Y, see ^{169}Lu	-	2E+2	9E-8	5E-10 3E-10	4E-5	4E-4	
71	Lutetium-174	W, see ^{169}Lu	5E+3	1E+2 (2E+2)	5E-8 -	-	7E-5	7E-4	
		Y, see ^{169}Lu	-	2E+2	6E-8	3E-10 2E-10	-	-	
71	Lutetium-176m	W, see ^{169}Lu Y, see ^{169}Lu	8E+3	3E+4 2E+4	1E-5 9E-6	3E-8 3E-8	1E-4	1E-3	
71	Lutetium-176	W, see ^{169}Lu	7E+2	5E+0 (1E+1)	2E-9 8E+0	-	1E-5	1E-4	
		Y, see ^{169}Lu	-	8E+0	3E-9	2E-11 1E-11	-	-	
71	Lutetium-177m	W, see ^{169}Lu	7E+2	1E+2 (1E+2)	5E-8 8E+1	-	1E-5	1E-4	
		Y, see ^{169}Lu	-	8E+1	3E-8	2E-10 1E-10	-	-	
71	Lutetium-177	W, see ^{169}Lu	2E+3 (3E+3)	2E+3	9E-7 2E+3	3E-9 9E-7	-	-	
		Y, see ^{169}Lu	-	-	-	-	4E-5	4E-4	
71	Lutetium-178m ²	W, see ^{169}Lu	5E+4 (6E+4)	2E+5 2E+5	8E-5 7E-5	3E-7 2E-7	-	-	
		Y, see ^{169}Lu	-	-	-	-	8E-4	8E-3	
71	Lutetium-178 ²	W, see ^{169}Lu	4E+4 (4E+4)	1E+5 1E+5	5E-5 5E-5	2E-7 2E-7	-	-	
		Y, see ^{169}Lu	-	-	-	-	6E-4	6E-3	
71	Lutetium-179	W, see ^{169}Lu Y, see ^{169}Lu	6E+3	2E+4 2E+4	8E-6 6E-6	3E-8 3E-8	9E-5	9E-4	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
72	Hafnium-170	D, all compounds except those given for W	3E+3	6E+3	2E-6	8E-9	4E-5	4E-4	
		W, oxides, hydroxides, carbides, and nitrates	-	5E+3	2E-6	6E-9	-	-	
72	Hafnium-172	D, see ^{170}Hf	1E+3	9E+0	4E-9	-	2E-5	2E-4	
		W, see ^{170}Hf	-	Bone surf (2E+1)	-	3E-11	-	-	
		W, see ^{170}Hf	-	4E+1	2E-8	-	-	-	
72	Hafnium-173	D, see ^{170}Hf	5E+3	1E+4	5E-6	2E-8	7E-5	7E-4	
		W, see ^{170}Hf	-	1E+4	5E-6	-	-	-	
72	Hafnium-175	D, see ^{170}Hf	3E+3	9E+2	4E-7	-	4E-5	4E-4	
		W, see ^{170}Hf	-	Bone surf (1E+3)	-	1E-9	-	-	
72	Hafnium-177m ²	D, see ^{170}Hf	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	
		W, see ^{170}Hf	-	9E+4	4E-5	1E-7	-	-	
72	Hafnium-178m	D, see ^{170}Hf	3E+2	1E+0	5E-10	-	3E-6	3E-5	
		W, see ^{170}Hf	-	Bone surf (2E+0)	-	3E-12	-	-	
		W, see ^{170}Hf	-	5E+0	2E-9	-	-	-	
72	Hafnium-179m	D, see ^{170}Hf	-	Bone surf (9E+0)	-	1E-11	-	-	
		W, see ^{170}Hf	1E+3	3E+2	1E-7	-	1E-5	1E-4	
72	Hafnium-180m	D, see ^{170}Hf	-	6E+2	3E-7	8E-10	-	-	
		W, see ^{170}Hf	-	6E+2	3E-7	8E-10	-	-	
72	Hafnium-181	D, see ^{170}Hf	7E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
		W, see ^{170}Hf	-	3E+4	1E-5	4E-8	-	-	
72	Hafnium-182m ²	D, see ^{170}Hf	1E+3	2E+2	7E-8	-	2E-5	2E-4	
		W, see ^{170}Hf	-	(4E+2)	-	6E-10	-	-	
72	Hafnium-182m ²	D, see ^{170}Hf	4E+4	9E+4	4E-5	1E-7	5E-4	5E-3	
		W, see ^{170}Hf	-	1E+5	6E-5	2E-7	-	-	
72	Hafnium-182	D, see ^{170}Hf	2E+2	8E-1	3E-10	-	-	-	
		Bone surf (4E+2)	-	(2E+0)	-	2E-12	5E-6	5E-5	
		W, see ^{170}Hf	-	3E+0	1E-9	-	-	-	
72	Hafnium-183 ²	D, see ^{170}Hf	-	(7E+0)	-	1E-11	-	-	
		W, see ^{170}Hf	2E+4	5E+4	2E-5	6E-8	3E-4	3E-3	
72	Hafnium-184	D, see ^{170}Hf	2E+3	8E+3	3E-6	1E-8	3E-5	3E-4	
		W, see ^{170}Hf	-	6E+3	3E-6	9E-9	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 3 Inhalation	Col. 1 Air	Col. 2 Water	Monthly Average Concentration	
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	($\mu\text{Ci}/\text{m}^3$)	($\mu\text{Ci}/\text{m}^3$)	($\mu\text{Ci}/\text{m}^3$)	($\mu\text{Ci}/\text{m}^3$)	
73	Tantalum-172 ²	W, all compounds except those given for Y	4E+4	1E+5	5E-5	2E-7	5E-4	5E-3	-
		Y, elemental Ta, oxides, hydroxides, halides, carbides, nitrates, and nitrides	-	1E+5	4E-5	1E-7	-	-	-
73	Tantalum-173	W, see ¹⁷² Ta Y, see ¹⁷² Ta	7E+3 -	2E+4 2E+4	8E-6 7E-6	3E-8 2E-8	9E-5 -	9E-4 -	-
73	Tantalum-174 ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	3E+4 -	1E+5 9E+4	4E-5 4E-5	1E-7 1E-7	4E-4 -	4E-3 -	-
73	Tantalum-175	W, see ¹⁷² Ta Y, see ¹⁷² Ta	6E+3 -	2E+4 1E+4	7E-6 6E-6	2E-8 2E-8	8E-5 -	8E-4 -	-
73	Tantalum-176	W, see ¹⁷² Ta Y, see ¹⁷² Ta	4E+3 -	1E+4 1E+4	5E-6 5E-6	2E-8 2E-8	5E-5 -	5E-4 -	-
73	Tantalum-177	W, see ¹⁷² Ta Y, see ¹⁷² Ta	1E+4 -	2E+4 2E+4	8E-6 7E-6	3E-8 2E-8	2E-4 -	2E-3 -	-
73	Tantalum-178	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+4 -	9E+4 7E+4	4E-5 3E-5	1E-7 1E-7	2E-4 -	2E-3 -	-
73	Tantalum-179	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+4 -	5E+3 9E+2	2E-6 4E-7	8E-9 1E-9	3E-4 -	3E-3 -	-
73	Tantalum-180m	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+4 -	7E+4 6E+4	3E-5 2E-5	9E-8 8E-8	3E-4 -	3E-3 -	-
73	Tantalum-180	W, see ¹⁷² Ta Y, see ¹⁷² Ta	1E+3 -	4E+2 2E+1	2E-7 1E-8	6E-10 3E-11	2E-5 -	2E-4 -	-
73	Tantalum-182m ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+5 (2E+5) St. wall	5E+5 -	2E-4 2E-4	8E-7 6E-7	- 3E-3	- 3E-2	-
73	Tantalum-182	W, see ¹⁷² Ta Y, see ¹⁷² Ta	8E+2 -	3E+2 1E+2	1E-7 6E-8	5E-10 2E-10	1E-5 -	1E-4 -	-
73	Tantalum-183	W, see ¹⁷² Ta Y, see ¹⁷² Ta	9E+2 (1E+3) LLI wall	1E+3 -	5E-7 -	2E-9 -	- 2E-5	- 2E-4	-
73	Tantalum-184	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+3 -	5E+3 5E+3	2E-6 2E-6	8E-9 7E-9	3E-5 -	3E-4 -	-
73	Tantalum-185 ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	3E+4 -	7E+4 6E+4	3E-5 3E-5	1E-7 9E-8	4E-4 -	4E-3 -	-
73	Tantalum-186 ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	5E+4 (7E+4) St. wall	2E+5 -	1E-4 -	3E-7 -	- 1E-3	- 1E-2	-
74	Tungsten-176	D, all compounds	1E+4	5E+4	2E-5	7E-8	1E-4	1E-3	-
74	Tungsten-177	D, all compounds	2E+4	9E+4	4E-5	1E-7	3E-4	3E-3	-

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 8hr Ingestion All (μCi)	Col. 2 8hr Inhalation All ($\mu\text{Ci}/\text{m}^3$)	Col. 3 8hr Inhalation DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Effl. ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
74	Tungsten-178	D, all compounds	5E+3	2E+4	8E-6	3E-8	7E-5	7E-4	
74	Tungsten-179 ²	D, all compounds	5E+6	2E+6	7E-4	2E-6	7E-3	7E-2	
74	Tungsten-181	D, all compounds	2E+4	3E+4	1E-5	5E-8	2E-4	2E-3	
74	Tungsten-185	D, all compounds	2E+3 L1 wall (3E+3)	7E+3	3E-6	9E-9	-	-	
74	Tungsten-187	D, all compounds	2E+3	9E+3	8E-6	1E-8	3E-5	3E-4	
74	Tungsten-188	D, all compounds	4E+2 L1 wall (5E+2)	9E+3	9E-7	2E-9	-	-	
75	Rhenium-177 ²	D, all compounds except those given for W	9E+4 St. wall (1E+5)	3E+5	1E-4	4E-7	-	-	
		W, oxides, hydroxides, and nitrates	-	-	-	-	2E-3	2E-2	
75	Rhenium-178 ²	D, see ¹⁷⁷ Rh	7E+4 St. wall (1E+5)	3E+5	1E-4	4E-7	-	-	
		W, see ¹⁷⁷ Rh	-	3E+5	1E-4	4E-7	1E-3	3E-2	
75	Rhenium-181	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	5E+3 8E+3	9E+3 4E+6	8E-6 1E-8	1E-8	7E-5	7E-4	
75	Rhenium-182	D, see ¹⁷⁷ Rh (12.7 h) W, see ¹⁷⁷ Rh	7E+3 2E+4	1E+4 2E+3	5E-6 9E-7	2E-8	9E-5	9E-4	
75	Rhenium-182	D, see ¹⁷⁷ Rh (64.0 h) W, see ¹⁷⁷ Rh	1E+3 -	7E+3 2E+3	1E-6 9E-7	3E-9 2E-9	2E-5	2E-4	
75	Rhenium-184m	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3	3E+3 4E+2	1E-6 2E-7	4E-9 5E-20	3E-5	3E-4	
75	Rhenium-184	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3 -	4E+3 3E+3	1E-6 6E-7	5E-9 2E-9	3E-5	3E-8	
75	Rhenium-186m	D, see ¹⁷⁷ Rh	1E+3 St. wall (2E+3)	2E+3 St. wall (2E+3)	7E-7 -	-	-	-	
		W, see ¹⁷⁷ Rh	-	2E+2	6E-8	2E-9 2E-10	2E-5	2E-4	
75	Rhenium-186	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3	2E+3 2E+3	1E-6 7E-7	4E-9 2E-9	3E-5	3E-4	
75	Rhenium-187	D, see ¹⁷⁷ Rh	6E+5	8E+5 St. wall (9E+5)	4E-4 -	-	8E-3	8E-2	
		W, see ¹⁷⁷ Rh	-	2E+5	4E-5	1E-6 2E-7	-	-	
75	Rhenium-188m ²	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	8E+4	1E+5 2E+5	6E-5 6E-5	2E-7 2E-7	1E-3	1E-2	
75	Rhenium-188	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3	3E+3 3E+3	1E-6 2E-6	4E-9	2E-5	2E-4	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μ Ci)	Inhalation		Col. 1 Air (μ Ci/m ³)	Col. 2 Water (μ Ci/m ³)	Monthly Average Concentration (μ Ci/m ³)	
				AI (μ Ci)	DAC (μ Ci/m ³)				
75	Rhenium-189	D, see ¹⁷⁷ Re W, see ¹⁷⁷ Re	3E+3 -	5E+3 4E+3	2E-6 2E-6	7E-9 6E-9	4E-5 -	4E-4 -	
76	Osmium-180 ²	D, all compounds except those given for W and Y	1E+5	4E+5	2E-4	5E-7	1E-3	1E-2	
		W, halides and nitrates	-	5E+5	2E-4	7E-7	-	-	
		Y, oxides and hydroxides	-	5E+5	2E-4	6E-7	-	-	
76	Osmium-181 ²	D, see ¹⁸⁰ Os	1E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
		W, see ¹⁸⁰ Os	-	5E+4	2E-5	6E-8	-	-	
		Y, see ¹⁸⁰ Os	-	4E+4	2E-5	6E-8	-	-	
76	Osmium-182	D, see ¹⁸⁰ Os	2E+3	6E+3	2E-6	8E-9	3E-5	3E-4	
		W, see ¹⁸⁰ Os	-	4E+3	2E-6	6E-9	-	-	
		Y, see ¹⁸⁰ Os	-	4E+3	2E-6	6E-9	-	-	
76	Osmium-185	D, see ¹⁸⁰ Os	2E+3	5E+2	2E-7	7E-10	3E-5	3E-4	
		W, see ¹⁸⁰ Os	-	8E+2	3E-7	1E-9	-	-	
		Y, see ¹⁸⁰ Os	-	8E+2	3E-7	1E-9	-	-	
76	Osmium-189m	D, see ¹⁸⁰ Os	8E+4	2E+5	1E-4	3E-7	1E-3	1E-2	
		W, see ¹⁸⁰ Os	-	2E+5	9E-5	3E-7	-	-	
		Y, see ¹⁸⁰ Os	-	2E+5	7E-5	2E-7	-	-	
76	Osmium-191m	D, see ¹⁸⁰ Os	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
		W, see ¹⁸⁰ Os	-	2E+4	8E-6	3E-8	-	-	
		Y, see ¹⁸⁰ Os	-	2E+4	7E-6	2E-8	-	-	
76	Osmium-191	D, see ¹⁸⁰ Os	2E+3	2E+3	9E-7	3E-9	-	-	
		W, see ¹⁸⁰ Os	-	2E+3	-	-	3E-5	3E-4	
		Y, see ¹⁸⁰ Os	-	1E+3	7E-7	2E-9	-	-	
76	Osmium-193	D, see ¹⁸⁰ Os	2E+3	5E+3	2E-6	6E-9	-	-	
		W, see ¹⁸⁰ Os	-	3E+3	1E-6	4E-9	2E-5	2E-4	
		Y, see ¹⁸⁰ Os	-	3E+3	2E-6	4E-9	-	-	
76	Osmium-194	D, see ¹⁸⁰ Os	4E+2	4E+1	2E-8	6E-11	-	-	
		W, see ¹⁸⁰ Os	-	6E+1	2E-8	8E-11	8E-6	8E-5	
		Y, see ¹⁸⁰ Os	-	8E+0	3E-9	1E-11	-	-	
77	Iridium-182 ²	D, all compounds except those given for W and Y	4E+4 St. wall (4E+4)	1E+5	6E-5	2E-7	-	-	
		W, halides, nitrates, and metallic iridium	-	-	-	-	6E-4	6E-3	
		Y, oxides and hydroxides	-	1E+5	5E-5	2E-7	-	-	
77	Iridium-184	D, see ¹⁸² Ir	8E+3	2E+4	1E-5	3E-8	1E-4	1E-3	
		W, see ¹⁸² Ir	-	3E+4	1E-5	5E-8	-	-	
		Y, see ¹⁸² Ir	-	3E+4	1E-5	4E-8	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				All (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
77	Iridium-185	D, see ^{182}Ir	5E+3	1E+4	5E-6	2E-8	7E-5	7E-4	
		W, see ^{182}Ir	-	1E+4	5E-6	2E-8	-	-	
		Y, see ^{182}Ir	-	1E+4	4E-6	1E-8	-	-	
77	Iridium-186	D, see ^{182}Ir	2E+3	8E+3	3E-6	1E-8	3E-5	3E-4	
		W, see ^{182}Ir	-	6E+3	3E-6	9E-9	-	-	
		Y, see ^{182}Ir	-	6E+3	2E-6	8E-9	-	-	
77	Iridium-187	D, see ^{182}Ir	1E+4	2E+4	1E-5	5E-8	1E-4	1E-3	
		W, see ^{182}Ir	-	3E+4	1E-5	4E-8	-	-	
		Y, see ^{182}Ir	-	2E+4	1E-5	4E-8	-	-	
77	Iridium-188	D, see ^{182}Ir	2E+3	5E+3	2E-6	6E-9	3E-5	3E-4	
		W, see ^{182}Ir	-	4E+3	1E-6	5E-9	-	-	
		Y, see ^{182}Ir	-	2E+3	1E-6	5E-9	-	-	
77	Iridium-189	D, see ^{182}Ir	5E+3 LLT wall (5E+3)	5E+3	2E-6	7E-9	-	-	
		W, see ^{182}Ir	-	4E+3	2E-6	9E-9	-	-	
		Y, see ^{182}Ir	-	4E+3	1E-6	5E-9	-	-	
77	Iridium-190m ²	D, see ^{182}Ir	2E+5	2E+5	8E-5	2E-7	2E-3	2E-2	
		W, see ^{182}Ir	-	2E+5	9E-5	3E-7	-	-	
		Y, see ^{182}Ir	-	2E+5	8E-5	3E-7	-	-	
77	Iridium-190	D, see ^{182}Ir	1E+3	9E+2	4E-7	1E-9	1E-5	1E-4	
		W, see ^{182}Ir	-	1E+3	4E-7	1E-9	-	-	
		Y, see ^{182}Ir	-	9E+2	4E-7	1E-9	-	-	
77	Iridium-192m	D, see ^{182}Ir	3E+8	9E+1	4E-8	1E-20	4E-5	4E-4	
		W, see ^{182}Ir	-	2E+2	9E-8	3E-10	-	-	
		Y, see ^{182}Ir	-	2E+1	6E-9	2E-11	-	-	
77	Iridium-192	D, see ^{182}Ir	9E+2	3E+2	1E-7	4E-10	1E-5	1E-4	
		W, see ^{182}Ir	-	4E+2	2E-7	6E-10	-	-	
		Y, see ^{182}Ir	-	2E+2	9E-8	3E-10	-	-	
77	Iridium-194a	D, see ^{182}Ir	6E+2	9E+1	4E-8	1E-30	9E-6	9E-5	
		W, see ^{182}Ir	-	2E+2	7E-8	2E-10	-	-	
		Y, see ^{182}Ir	-	1E+2	4E-8	1E-30	-	-	
77	Iridium-194	D, see ^{182}Ir	1E+3	3E+3	1E-6	4E-9	1E-5	1E-4	
		W, see ^{182}Ir	-	2E+3	9E-7	3E-9	-	-	
		Y, see ^{182}Ir	-	2E+3	8E-7	2E-9	-	-	
77	Iridium-195m	D, see ^{182}Ir	8E+3	2E+4	1E-5	3E-8	1E-4	1E-3	
		W, see ^{182}Ir	-	3E+4	1E-5	4E-8	-	-	
		Y, see ^{182}Ir	-	2E+4	9E-6	3E-8	-	-	
77	Iridium-195	D, see ^{182}Ir	1E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
		W, see ^{182}Ir	-	5E+4	2E-5	7E-8	-	-	
		Y, see ^{182}Ir	-	4E+4	2E-5	6E-8	-	-	
78	Platinum-186	D, all compounds	1E+4	4E+4	2E-5	5E-8	2E-4	2E-3	
78	Platinum-188	D, all compounds	2E+3	2E+3	7E-7	2E-9	2E-5	2E-4	
78	Platinum-189	D, all compounds	1E+4	3E+4	1E-5	4E-8	1E-4	1E-3	
78	Platinum-191	D, all compounds	4E+3	6E+3	4E-6	1E-8	5E-5	5E-4	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
78	Platinum-193m	D, all compounds	3E+3 L1 wall (3E+4)	6E+3	3E-6	8E-9	-	-	-
78	Platinum-193	D, all compounds	4E+4 L1 wall (5E+4)	2E+4	1E-5	3E-8	-	-	-
78	Platinum-195m	D, all compounds	2E+3 L1 wall (2E+3)	4E+3	2E-6	6E-9	-	-	-
78	Platinum-197m ²	D, all compounds	2E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
78	Platinum-197	D, all compounds	3E+3	1E+4	4E-6	1E-8	4E-5	4E-4	
78	Platinum-199 ²	D, all compounds	5E+4	1E+5	6E-5	2E-7	7E-4	7E-3	
78	Platinum-200	D, all compounds	1E+3	3E+3	1E-6	5E-9	2E-5	2E-4	
79	Gold-193	D, all compounds except those given for W and Y	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
		W, halides and nitrates	-	2E+4	9E-6	3E-8	-	-	
		Y, oxides and hydroxides	-	2E+4	9E-6	3E-8	-	-	
79	Gold-194	D, see 193Au	3E+3	8E+3	3E-6	1E-8	4E-5	4E-4	
		W, see 193Au	-	5E+3	2E-6	8E-9	-	-	
		Y, see 193Au	-	5E+3	2E-6	7E-9	-	-	
79	Gold-195	D, see 195Au	5E+3	1E+4	5E-6	2E-8	7E-5	7E-4	
		W, see 193Au	-	1E+3	6E-7	2E-9	-	-	
		Y, see 193Au	-	4E+2	2E-7	6E-10	-	-	
79	Gold-198m	D, see 193Au	1E+3	3E+3	1E-6	4E-9	1E-5	1E-4	
		W, see 193Au	-	1E+3	5E-7	2E-9	-	-	
		Y, see 193Au	-	1E+3	5E-7	2E-9	-	-	
79	Gold-198	D, see 193Au	1E+3	4E+3	2E-6	5E-9	2E-5	2E-4	
		W, see 193Au	-	2E+3	8E-7	3E-9	-	-	
		Y, see 193Au	-	2E+3	7E-7	2E-9	-	-	
79	Gold-199	D, see 193Au	3E+3 L1 wall (3E+3)	9E+3	4E-6	1E-8	-	-	
		W, see 193Au	-	4E+3	2E-6	6E-9	4E-5	4E-4	
		Y, see 193Au	-	4E+3	2E-6	5E-9	-	-	
79	Gold-200m	D, see 193Au	1E+3	4E+3	1E-6	5E-9	2E-5	2E-4	
		W, see 193Au	-	3E+3	1E-6	4E-9	-	-	
		Y, see 193Au	-	2E+4	1E-6	3E-9	-	-	
79	Gold-200 ²	D, see 193Au	3E+4	6E+4	3E-5	9E-8	4E-4	4E-3	
		W, see 193Au	-	8E+4	3E-5	1E-7	-	-	
		Y, see 193Au	-	7E+4	3E-5	1E-7	-	-	
79	Gold-201 ²	D, see 193Au	7E+4 (9E+4)	2E+5	9E-5	3E-7	-	-	
		W, see 193Au	-	2E+5	1E-4	3E-7	1E-3	1E-2	
		Y, see 193Au	-	2E+5	9E-5	3E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Oral Ingestion		Inhalation	Col. 1 Air (μCi)	Col. 2 Water ($\mu\text{Ci}/\text{ml}$)	Col. 1 Air ($\mu\text{Ci}/\text{ml}$)	Col. 2 Water ($\mu\text{Ci}/\text{ml}$)	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)
			AI (μCi)	DAC ($\mu\text{Ci}/\text{ml}$)						
80	Mercury-193m	Vapor	-	8E+3	4E-6	1E-8	-	-	-	
		Organic D	4E+3	1E+4	5E-6	2E-8	6E-5	6E-4		
		D, sulfates	3E+3	9E+3	4E-6	1E-8	4E-5	4E-4		
		W, oxides, hydroxides, halides, nitrates, and sulfides	-	8E+3	3E-6	1E-8	-	-	-	
80	Mercury-193	Vapor	-	3E+4	1E-5	4E-8	-	-	-	
		Organic D	2E+4	6E+4	3E-5	9E-8	3E-4	3E-3		
		D, see 193mHg	2E+4	4E+4	2E-5	6E-8	2E-4	2E-3		
		W, see 193mHg	-	4E+4	2E-5	6E-8	-	-	-	
80	Mercury-194	Vapor	-	3E+1	1E-8	4E-11	-	-	-	
		Organic D	2E+1	3E+1	1E-8	4E-11	2E-7	2E-6		
		D, see 193mHg	8E+2	4E+1	2E-8	6E-11	1E-5	1E-4		
		W, see 193mHg	-	1E+2	5E-8	2E-10	-	-	-	
80	Mercury-195m	Vapor	-	4E+3	2E-6	6E-9	-	-	-	
		Organic D	3E+3	6E+3	3E-6	8E-9	4E-5	4E-4		
		D, see 193mHg	2E+3	5E+3	2E-6	7E-9	3E-5	3E-4		
		W, see 193mHg	-	4E+3	2E-6	5E-9	-	-	-	
80	Mercury-195	Vapor	-	3E+4	1E-5	4E-8	-	-	-	
		Organic D	2E+4	5E+4	2E-5	6E-8	2E-4	2E-3		
		D, see 193mHg	1E+4	4E+4	1E-5	5E-8	2E-4	2E-3		
		W, see 193mHg	-	3E+4	1E-5	5E-8	-	-	-	
80	Mercury-197m	Vapor	-	5E+3	2E-6	7E-9	-	-	-	
		Organic D	4E+3	9E+3	4E-6	1E-8	5E-5	5E-4		
		D, see 193mHg	3E+3	7E+3	3E-6	1E-8	4E-5	4E-4		
		W, see 193mHg	-	5E+3	2E-6	7E-9	-	-	-	
80	Mercury-197	Vapor	-	8E+3	4E-6	1E-8	-	-	-	
		Organic D	7E+3	1E+4	6E-6	2E-8	9E-5	9E-4		
		D, see 193mHg	6E+3	1E+4	5E-6	2E-8	8E-5	8E-4		
		W, see 193mHg	-	9E+3	4E-6	1E-8	-	-	-	
80	Mercury-199m ²	Vapor	-	8E+4	3E-5	1E-7	-	-	-	
		Organic D	6E+4	2E+5	7E-5	2E-7	-	-	-	
		St. wall (1E+5)	-	-	-	-	1E-3	1E-2		
		D, see 193mHg	6E+4	1E+5	6E-5	2E-7	8E-4	8E-3		
		W, see 193mHg	-	2E+5	7E-5	2E-7	-	-	-	
80	Mercury-203	Vapor	-	8E+2	4E-7	1E-9	-	-	-	
		Organic D	5E+2	8E+2	3E-7	1E-9	7E-6	7E-5		
		D, see 193mHg	2E+3	1E+3	5E-7	2E-9	-	-	-	
		W, see 193mHg	-	1E+3	5E-7	2E-9	-	-	-	
81	Thallium-194m ²	D, all compounds	5E+4 (7E+4)	2E+5	6E-5	2E-7	-	-	-	
		St. wall	-	-	-	-	1E-3	1E-2		

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Imhalation ALT ($\mu\text{Ci}/\text{m}^3$)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
81	Thallium-194 ²	D, all compounds	3E+5 St. wall (3E+5)	6E-5	2E-4	8E-7	-	-	-
81	Thallium-195 ²	D, all compounds	6E+4	1E+5	5E-5	2E-7	9E-4	9E-3	
81	Thallium-197	D, all compounds	7E+4	1E+5	5E-5	2E-7	1E-3	1E-2	
81	Thallium-198 ²	D, all compounds	3E+4	5E+4	2E-5	8E-8	4E-4	4E-3	
81	Thallium-198	D, all compounds	2E+4	3E+4	1E-5	5E-8	3E-4	3E-3	
81	Thallium-199	D, all compounds	6E+4	8E+4	4E-5	1E-7	9E-4	9E-3	
81	Thallium-200	D, all compounds	8E+3	1E+4	5E-6	2E-8	1E-4	1E-3	
81	Thallium-201	D, all compounds	2E+4	2E+4	9E-6	3E-8	2E-4	2E-3	
81	Thallium-202	D, all compounds	4E+3	5E+3	2E-6	7E-9	5E-5	5E-4	
81	Thallium-204	D, all compounds	2E+3	2E+3	9E-7	3E-9	2E-5	2E-4	
82	Lead-195 ²	D, all compounds	6E+4	2E+5	8E-5	3E-7	8E-4	8E-3	
82	Lead-198	D, all compounds	3E+4	6E+4	3E-5	9E-8	4E-4	4E-3	
82	Lead-199 ²	D, all compounds	2E+4	7E+4	3E-5	1E-7	3E-4	3E-3	
82	Lead-200	D, all compounds	3E+3	6E+3	3E-6	9E-9	4E-5	4E-4	
82	Lead-201	D, all compounds	7E+3	2E+4	8E-6	3E-8	1E-4	1E-3	
82	Lead-202m	D, all compounds	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
82	Lead-202	D, all compounds	1E+2	5E+1	2E-8	7E-11	2E-6	2E-5	
82	Lead-203	D, all compounds	5E+3	9E+3	4E-6	1E-8	7E-5	7E-4	
82	Lead-205	D, all compounds	4E+3	1E+3	6E-7	2E-9	5E-5	5E-4	
82	Lead-209	D, all compounds	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	
82	Lead-210	D, all compounds	8E-1 Bone surf (1E+0)	2E-1 Bone surf (4E-1)	1E-10	-	-	-	
82	Lead-211 ²	D, all compounds	1E+4	6E+2	3E-7	9E-10	2E-4	2E-3	
82	Lead-212	D, all compounds	8E+1 Bone surf (1E+2)	3E+1	1E-8	5E-11	-	-	
82	Lead-214 ²	D, all compounds	9E+3	8E+2	3E-7	1E-9	1E-4	1E-3	
83	Bismuth-200 ²	D, nitrates W, all other compounds	3E+4	8E+4	4E-5	1E-7	4E-4	4E-3	
83	Bismuth-201 ²	D, see ²⁰⁰ Bi W, see ²⁰⁰ Bi	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
83	Bismuth-202 ²	D, see ²⁰⁰ Bi W, see ²⁰⁰ Bi	1E+4	4E+4	2E-5	6E-8	2E-4	2E-3	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)		Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)		
83	Bismuth-203	D, see ^{200}Bi W, see ^{200}Bi	2E+3	7E+3 6E+3	3E-6 3E-6	9E-9 9E-9	3E-5	-	3E-4
83	Bismuth-205	D, see ^{200}Bi W, see ^{200}Bi	1E+3	3E+3 1E+3	1E-6 5E-7	3E-9 2E-9	2E-5	2E-4	-
83	Bismuth-206	D, see ^{200}Bi W, see ^{200}Bi	6E+2	1E+3 9E+2	6E-7 4E-7	2E-9 1E-9	9E-6	9E-5	-
83	Bismuth-207	D, see ^{200}Bi W, see ^{200}Bi	1E+3	2E+3 4E+2	7E-7 1E-7	2E-9 5E-10	1E-5	1E-4	-
83	Bismuth-210m	D, see ^{200}Bi W, see ^{200}Bi	4E+1 (6E+1)	5E+0 (6E+0)	2E-9	-	-	-	-
83	Bismuth-210	D, see ^{200}Bi W, see ^{200}Bi	8E+2	2E+2 (4E+2) 3E+1	1E-7 1E-8	5E-10 4E-11	8E-7	8E-6	-
83	Bismuth-212 ²	D, see ^{200}Bi W, see ^{200}Bi	5E+3	2E+2 3E+2	1E-7 1E-7	3E-10 4E-10	7E-5	7E-4	-
83	Bismuth-213 ²	D, see ^{200}Bi W, see ^{200}Bi	7E+3	3E+2 4E+2	1E-7 1E-7	4E-10 5E-10	1E-4	1E-3	-
83	Bismuth-214 ²	D, see ^{200}Bi W, see ^{200}Bi	2E+4 (2E+4)	8E+2	3E-7	1E-9	-	-	-
83	Polonium-203 ²	D, all compounds except those given for W W, oxides, hydroxides, and nitrates	3E+4	6E+4	3E-5	9E-6	3E-4	3E-3	-
84	Polonium-205 ²	D, see ^{203}Po W, see ^{203}Po	2E+4	4E+4 7E+4	2E-5 3E-5	5E-8 2E-7	3E-4	3E-3	-
84	Polonium-207	D, see ^{203}Po W, see ^{203}Po	8E+3	3E+4 3E+4	1E-5 1E-5	3E-8 4E-8	1E-4	1E-3	-
84	Polonium-210	D, see ^{203}Po W, see ^{203}Po	3E+0	6E-1 6E-1	3E-10 3E-10	9E-13 9E-13	4E-8	4E-7	-
85	Astatine-207 ²	D, halides W	6E+3	3E+3 2E+3	1E-6 9E-7	4E-9 3E-9	8E-5	8E-4	-
85	Astatine-211	D, halides W	1E+2	8E+1 5E+1	3E-8 2E-8	1E-10 8E-11	2E-6	2E-5	-
86	Radon-220	With daughters removed With daughters present	-	2E+4 2E+1 (or 12 working level months)	7E-6 9E-9 (or 1.0 working level)	2E-8 3E-11	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 Inhalation DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
86	Radon-222	With daughters removed With daughters present	-	1E+4 (or 4 working level months)	4E-6 (or 0.33 working level)	1E-8	-	-	
87	Francium-222 ²	D, all compounds	2E+3	5E+2	2E-7	6E-10	3E-5	3E-4	
87	Francium-223 ²	D, all compounds	6E+2	8E+2	3E-7	1E-9	8E-6	8E-5	
88	Radium-223	W, all compounds	5E+0 Bone surf (9E+0)	7E-1	3E-10	9E-13	-	-	
88	Radium-224	W, all compounds	8E+0 Bone surf (2E+1)	2E+0	7E-10	2E-12	-	-	
88	Radium-225	W, all compounds	8E+0 Bone surf (2E+1)	7E-1	3E-10	9E-13	-	-	
88	Radium-226	W, all compounds	2E+0 Bone surf (5E+0)	6E-1	3E-10	9E-13	-	-	
88	Radium-227 ²	W, all compounds	2E+4 Bone surf (2E+4)	1E+4 Bone surf (2E+4)	6E-6	-	-	-	
8	Radium-228	W, all compounds	2E+0 Bone surf (4E+0)	1E+0	5E-10	2E-12	-	-	
89	Actinium-224	D, all compounds except those given for W and Y	2E+3 LLI wall (2E+3)	3E+1 Bone surf (4E+1)	1E-8	-	-	-	
		W, halides and nitrates	-	5E+1	2E-8	7E-11	-	-	
		Y, oxides and hydroxides	-	5E+1	2E-8	6E-11	-	-	
89	Actinium-225	D, see ²²⁴ Ac	5E+1 LLI wall (5E+1)	3E-1 Bone surf (5E-1)	1E-10	-	-	-	
		W, see ²²⁴ Ac	-	3E-10	-	7E-13	7E-7	7E-6	
		Y, see ²²⁴ Ac	-	6E-1	3E-10	9E-13	-	-	
89	Actinium-226	D, see ²²⁴ Ac	1E+2 LLI wall (1E+2)	3E+0 Bone surf (4E+0)	1E-9	-	-	-	
		W, see ²²⁴ Ac	-	5E+0	2E-9	5E-12	2E-6	2E-5	
		Y, see ²²⁴ Ac	-	5E+0	2E-9	6E-12	-	-	
89	Actinium-227	D, see ²²⁴ Ac	2E-1 Bone surf (4E-1)	4E-4 Bone surf (8E-4)	2E-13	-	-	-	
		W, see ²²⁴ Ac	-	2E-3	7E-13	1E-15	5E-9	5E-8	
		Y, see ²²⁴ Ac	-	(3E-3)	-	4E-15	-	-	
			-	4E-3	2E-12	6E-15	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Oral Ingestion		Inhalation	Col. 1	Col. 2	Col. 1	Col. 2
			AI (μCi)	DAC ($\mu\text{Ci}/\text{ml}$)	AI ($\mu\text{Ci}/\text{ml}$)	Air ($\mu\text{Ci}/\text{ml}$)	Water ($\mu\text{Ci}/\text{ml}$)		Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)
89	Actinium-228	D, see ^{224}Ac	2E+3	9E+0 Bone surf	4E-9	-	3E-5	3E-4	
		W, see ^{224}Ac	- - -	(2E+1) 4E+1 (6E+1)	2E-8 - 2E-8	2E-11 - 6E-11	- - -	- - -	
		Y, see ^{224}Ac	-	4E+1	-	8E-11	-	-	
90	Thorium-226 ²	W, all compounds except those given for Y	5E+3 St. wall (5E+3)	2E+2	6E-8	2E-10	-	-	
		Y, oxides and hydroxides	-	1E+2	6E-8	2E-10	-	-	
90	Thorium-227	W, see ^{226}Th	1E+2	3E-1 3E-1	1E-10 1E-10	5E-13 5E-13	2E-6	2E-5	
90	Thorium-228	W, see ^{226}Th	6E+0 Bone surf (1E+1)	1E-2 (2E-2)	4E-12	-	-	-	
		Y, see ^{226}Th	- 2E-2	7E-12	-	3E-14 2E-14	2E-7	2E-6	
90	Thorium-229	W, see ^{226}Th	6E-1 Bone surf (1E+0)	9E-4 Bone surf (2E-3)	4E-13	-	-	-	
		Y, see ^{226}Th	- 2E-3 - (3E-3)	1E-12 - 4E-15	- - -	3E-15 2E-14	2E-8	2E-7	
		Y, see ^{226}Th	- 2E-2	6E-3 Bone surf (9E+0)	3E-12	-	-	-	
90	Thorium-230	W, see ^{226}Th	4E+0 Bone surf (9E+0)	6E-3 Bone surf (2E-2)	3E-12	-	-	-	
		Y, see ^{226}Th	- 2E-2 - (2E-2)	- 6E-12 - 3E-14	2E-14 - - -	1E-7	1E-6	-	
		Y, see ^{226}Th	- 3E-3	6E-6 3E-6	9E-9 9E-9	5E-5	5E-4	-	
90	Thorium-231	W, see ^{226}Th	4E+3	6E+3 6E+3	3E-6 3E-6	9E-9 9E-9	-	-	
		Y, see ^{226}Th	- - -	1E-3 (3E-3) 1E-12	5E-13 - - 6E-15	- - - 6E-15	-	-	
		Y, see ^{226}Th	- - -	(3E-3) 1E-12 (4E-3)	- - -	4E-15 3E-8	3E-7 3E-7	-	
90	Thorium-232	W, see ^{226}Th	7E-1 Bone surf (2E+0)	1E-3 Bone surf (3E-3)	5E-13	-	-	-	
		Y, see ^{226}Th	- - -	3E-3 1E-12 (4E-3)	- - -	4E-15 3E-8	3E-7 3E-7	-	
90	Thorium-234	W, see ^{226}Th	3E+2 LL wall (4E+2)	2E+2	8E-8	3E-10	-	-	
		Y, see ^{226}Th	- - -	- 2E+2 6E-8	- - 2E-10	- - 5E-6	- - 5E-5	-	
91	Protactinium-227 ²	W, all compounds except those given for Y	4E+3	1E+2	5E-8	2E-10	5E-5	5E-4	
		Y, oxides and hydroxides	-	1E+2	4E-8	1E-10	-	-	
91	Protactinium-228	W, see ^{227}Pa	1E+3	1E+1 Bone surf (2E+1)	5E-9	-	2E-5	2E-4	
		Y, see ^{226}Pa	-	1E+1	5E-9 2E-11	3E-11 -	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)		Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			Bone surf (9E+2)	-	4E+0	1E-9	5E-12	-	-
91	Protactinium-230	W, see ^{227}Pa	6E+2	Bone surf	5E+0	2E-9	7E-12	-	-
		Y, see ^{227}Pa	-	(9E+2)	-	-	-	1E-5	1E-4
91	Protactinium-231	W, see ^{227}Pa	2E-1	Bone surf	2E-3	6E-13	-	-	-
		Y, see ^{226}Pa	(5E-1)	Bone surf	(4E-3)	-	6E-15	6E-9	6E-8
		Y, see ^{227}Pa	-	4E-3	2E-12	-	-	-	-
91	Protactinium-232	W, see ^{227}Pa	1E+3	Bone surf	2E+1	9E-9	-	2E-5	2E-4
		Y, see ^{227}Pa	-	(6E+1)	-	8E-11	-	-	-
		Y, see ^{227}Pa	-	6E+1	2E-8	-	-	-	-
91	Protactinium-233	W, see ^{227}Pa	1E+3	LLI wall	7E+2	3E-7	1E-9	-	-
		Y, see ^{227}Pa	(2E+3)	-	-	-	2E-5	2E-4	-
		Y, see ^{227}Pa	-	6E+2	2E-7	8E-10	-	-	-
91	Protactinium-234	W, see ^{227}Pa	2E+3	Bone surf	8E+3	3E-6	1E-8	3E-5	3E-4
		Y, see ^{227}Pa	-	7E+3	3E-6	9E-9	-	-	-
92	Uranium-230	D, UF_6 , UO_2F_2 , $\text{UO}_2(\text{NO}_3)_2$	4E+0	Bone surf	4E-1	2E-10	-	-	-
		W, UO_3 , UF_4 , UCl_4	(6E+0)	(6E-1)	-	8E-13	8E-8	8E-7	-
		Y, UO_2 , U_3O_8	-	4E-1	1E-10	5E-13	-	-	-
		Y, see ^{230}U	-	3E-1	1E-10	4E-13	-	-	-
92	Uranium-231	D, see ^{230}U	5E+3	LLI wall	8E+3	3E-6	1E-8	-	-
		W, see ^{230}U	(4E+3)	-	-	-	6E-5	6E-4	-
		Y, see ^{230}U	-	6E+3	2E-6	8E-9	-	-	-
92	Uranium-232	D, see ^{230}U	2E+0	Bone surf	2E-1	9E-11	-	-	-
		W, see ^{230}U	(4E+0)	(4E-1)	-	6E-13	6E-8	6E-7	-
		Y, see ^{230}U	-	4E-1	2E-10	5E-13	-	-	-
92	Uranium-233	D, see ^{230}U	1E+1	Bone surf	1E+0	5E-10	-	-	-
		W, see ^{230}U	(2E+1)	(2E+0)	-	3E-12	3E-7	3E-6	-
		Y, see ^{230}U	-	7E-1	3E-10	1E-12	-	-	-
92	Uranium-234 ³	D, see ^{230}U	1E+1	Bone surf	1E+0	5E-10	-	-	-
		W, see ^{230}U	(2E+1)	(2E+0)	-	3E-12	3E-7	3E-6	-
		Y, see ^{230}U	-	7E-1	3E-10	1E-12	-	-	-

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
92	Uranium-235 ³	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	6E-10	-	-	-	
		W, see ²³⁰ U	-	8E-1 4E-2	3E-10 2E-11	3E-12 1E-12	3E-7 6E-14	-	
		Y, see ²³⁰ U	-	-	-	-	-	-	
92	Uranium-236	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	5E-10	-	-	-	
		W, see ²³⁰ U	-	8E-1 4E-2	3E-10 2E-11	3E-12 1E-12	3E-7 6E-14	-	
		Y, see ²³⁰ U	-	-	-	-	-	-	
92	Uranium-237	D, see ²³⁰ U	2E+3 (2E+3)	3E+3	1E-6	4E-9	-	-	
		W, see ²³⁰ U	-	2E+3 2E+3	7E-7 6E-7	2E-9 2E-9	-	3E-5	3E-4
		Y, see ²³⁰ U	-	-	-	-	-	-	
92	Uranium-238 ³	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	6E-10	-	-	-	
		W, see ²³⁰ U	-	8E-1 4E-2	3E-10 2E-11	3E-12 1E-12	3E-7 6E-14	-	
		Y, see ²³⁰ U	-	-	-	-	-	-	
92	Uranium-239 ²	D, see ²³⁰ U	7E+4	2E+5	8E-5	3E-7	9E-4	9E-3	
		W, see ²³⁰ U	-	2E+5	7E-5 6E-5	2E-7 2E-7	-	-	
		Y, see ²³⁰ U	-	-	-	-	-	-	
92	Uranium-240	D, see ²³⁰ U	1E+3	4E+3	2E-6	5E-9	2E-5	2E-4	
		W, see ²³⁰ U	-	3E+3	1E-6	4E-9	-	-	
		Y, see ²³⁰ U	-	2E+3	1E-6	3E-9	-	-	
92	Uranium-natural ³	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	5E-10	-	-	-	
		W, see ²³⁰ U	-	8E-1 5E-2	3E-10 2E-11	3E-12 9E-13	3E-7 9E-14	-	
		Y, see ²³⁰ U	-	-	-	-	-	-	
93	Neptunium-232 ²	W, all compounds	1E+5	2E+3 (5E+2)	7E-7	-	2E-3	2E-2	
		-	-	-	6E-9	-	-	-	
93	Neptunium-233 ²	W, all compounds	8E+5	3E+6	1E-3	4E-6	1E-2	1E-1	
93	Neptunium-234	W, all compounds	2E+3	3E+3	1E-6	4E-9	3E-5	3E-4	
93	Neptunium-235	W, all compounds	2E+4 (2E+4)	8E+2 (1E+3)	3E-7	-	-	-	
93	Neptunium-236 (1.15E+5 y)	W, all compounds	3E+0 (6E+0)	2E-2 (5E+2)	9E-12	-	-	-	
93	Neptunium-236m (22.5 h)	W, all compounds	3E+3 (4E+3)	3E+1 (7E+1)	1E-8	-	-	-	
93	Neptunium-237	W, all compounds	5E-1 (1E+0)	4E-3 (1E-2)	2E-12	-	-	-	
			-	-	1E-14	2E-8	2E-7		

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
93	Neptunium-238	W, all compounds	1E+3	6E+1 Bone surf (2E+2)	3E-8	-	2E-5	2E-4
93	Neptunium-239	W, all compounds	2E+3 LI wall (2E+3)	2E+3	9E-7	3E-9	-	-
93	Neptunium-240 ²	W, all compounds	2E+4	8E+4	3E-5	1E-7	3E-4	3E-3
94	Plutonium-234	W, all compounds except PuO ₂ Y, PuO ₂	8E+3	2E+2 2E+2	9E-8 8E-8	3E-10 3E-10	1E-4	1E-3
94	Plutonium-235 ²	W, see ²³⁴ Pu Y, see ²³⁴ Pu	9E+5	3E+6 3E+6	1E-3 1E-3	4E-6 3E-6	1E-2	1E-1
94	Plutonium-236	W, see ²³⁴ Pu Y, see ²³⁴ Pu	2E+0 -	2E-2 Bone surf (4E+0) 4E-2	8E-12	-	-	-
94	Plutonium-237	W, see ²³⁴ Pu Y, see ²³⁴ Pu	1E+4	3E+3 3E+3	1E-6 1E-6	5E-9 4E-9	2E-4	2E-3
94	Plutonium-238	W, see ²³⁴ Pu Y, see ²³⁴ Pu	9E-1 -	7E-3 Bone surf (2E+0) (1E-2) 2E-2	3E-12	-	-	-
94	Plutonium-239	W, see ²³⁴ Pu Y, see ²³⁴ Pu	8E-1 -	6E-3 Bone surf (1E+0) (1E-2) 2E-2 -	3E-12	-	-	-
94	Plutonium-240	W, see ²³⁴ Pu Y, see ²³⁴ Pu	8E-1 -	6E-3 Bone surf (1E+0) (2E-2) 2E-2 -	3E-12	-	-	-
94	Plutonium-241	W, see ²³⁴ Pu Y, see ²³⁴ Pu	4E+1 (7E+1)	3E-1 Bone surf (6E-1) 8E-1 -	1E-10 -	-	-	-
						8E-13	1E-6	1E-5
						1E-12	-	-

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{mL}$)	Monthly Average Concentration ($\mu\text{Ci}/\text{mL}$)	
				ALI (μCi)	DAC ($\mu\text{Ci}/\text{mL}$)				
94	Plutonium-242	W, see ^{234}Pu	8E-1 Bone surf (1E+0)	7E-3 Bone surf (1E-2)	3E-12	-	-	-	-
		Y, see ^{234}Pu	- - -	2E-2 Bone surf (2E-2)	7E-12	2E-14	2E-8	2E-7	-
94	Plutonium-243	W, see ^{234}Pu Y, see ^{234}Pu	2E+4 - -	4E+4 4E+4 -	2E-5 2E-5 -	5E-8 5E-8 -	2E-4 - -	2E-3 - -	
94	Plutonium-244	W, see ^{234}Pu	8E-1 Bone surf (2E+0)	7E-3 Bone surf (1E-2)	3E-12	-	-	-	-
		Y, see ^{234}Pu	- - -	2E-2 Bone surf (2E-2)	7E-12	2E-14	2E-8	2E-7	-
94	Plutonium-245	W, see ^{234}Pu Y, see ^{234}Pu	2E+3 - -	5E+3 4E+3 -	2E-6 2E-6 -	6E-9 6E-9 -	3E-5 - -	3E-4 - -	
94	Plutonium-246	W, see ^{234}Pu	4E+2 LLI wall (4E+2)	3E+2 -	1E-7	4E-10	-	-	-
		Y, see ^{234}Pu	- -	3E+2 -	1E-7 4E-10	- -	6E-6 -	6E-5 -	-
95	Americium-237 ²	W, all compounds	8E+4	3E+5	1E-4	4E-7	1E-3	1E-2	
95	Americium-238 ²	W, all compounds	4E+4	3E+3 Bone surf (6E+3)	1E-6	-	5E-4	5E-3	
95	Americium-239	W, all compounds	5E+3	1E+4	5E-6	2E-8	7E-5	7E-4	
95	Americium-240	W, all compounds	2E+3	3E+3	1E-6	4E-9	3E-5	3E-4	
95	Americium-241	W, all compounds	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
95	Americium-242m	W, all compounds	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
95	Americium-242	W, all compounds	4E+3 - (5E+1)	8E+1 Bone surf -	4E-8 -	5E-5 -	5E-5 -	5E-4 -	
95	Americium-243	W, all compounds	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
95	Americium-244a ²	W, all compounds	6E+4 St. wall (8E+4)	4E+3 Bone surf (7E+3)	2E-6 -	1E-8 1E-8	1E-3 1E-3	1E-2 1E-2	
95	Americium-244	W, all compounds	3E+3 - -	2E+2 Bone surf (3E+2)	8E-8 -	4E-10 4E-10	4E-5 -	4E-4 -	
95	Americium-245	W, all compounds	3E+4	8E+4	3E-5	1E-7	4E-4	4E-3	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{mL}$)	Monthly Average Concentration ($\mu\text{Ci}/\text{mL}$)	
95	Americium-246 ²	W, all compounds	5E+4 SL. wall (6E+4)	2E+5	8E-5	3E-7	-	-	-
95	Americium-246 ²	W, all compounds	3E+4	1E+5	4E-5	1E-7	4E-4	4E-3	
96	Curium-238	W, all compounds	2E+4	1E+3	5E-7	2E-9	2E-4	2E-3	
96	Curium-240	W, all compounds	6E+1 Bone surf (8E+1)	6E-1 Bone surf (6E-1)	2E-10	-	9E-13	1E-6	1E-5
96	Curium-241	W, all compounds	1E+3	3E+1 Bone surf (4E+1)	1E-8	-	2E-5	2E-4	
96	Curium-242	W, all compounds	3E+1 Bone surf (5E+1)	3E-1 Bone surf (3E-1)	1E-10	-	4E-13	7E-7	7E-6
96	Curium-243	W, all compounds	1E+0 Bone surf (2E+0)	9E-3 Bone surf (2E-2)	4E-12	-	-	-	
96	Curium-244	W, all compounds	1E+0 Bone surf (3E+0)	1E-2 Bone surf (2E-2)	5E-12	-	-	-	
96	Curium-245	W, all compounds	7E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
96	Curium-246	W, all compounds	7E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
96	Curium-247	W, all compounds	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
96	Curium-248	W, all compounds	2E-1 Bone surf (4E-1)	2E-3 Bone surf (3E-3)	7E-13	-	-	-	
96	Curium-249 ²	W, all compounds	5E+4	2E+4 Bone surf (3E+4)	7E-6	-	7E-4	7E-3	
96	Curium-250	W, all compounds	4E-2 Bone surf (6E-2)	3E-4 Bone surf (5E-4)	1E-13	-	-	-	
97	Berkelium-245	W, all compounds	2E+3	1E+3	5E-7	2E-9	3E-5	3E-4	
97	Berkelium-246	W, all compounds	3E+3	3E+3	1E-6	4E-9	4E-5	4E-4	
97	Berkelium-247	W, all compounds	5E-1 Bone surf (1E+0)	4E-3 Bone surf (9E-3)	2E-12	-	-	-	
97	Berkelium-249	W, all compounds	2E+2 Bone surf (5E+2)	2E+0 Bone surf (4E+0)	7E-10	-	-	-	
						5E-12	6E-6	6E-5	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				All (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
97	Berkelium-250	W, all compounds	9E+3	3E+2 Bone surf (7E+2)	1E-7	-	1E-4	1E-3	
			-	-	-	1E-9	-	-	
98	Californium-244 ²	W, all compounds except those given for Y	3E+4 St. wall (3E+4)	6E+2	2E-7	8E-10	-	-	
		Y, oxides and hydroxides	-	6E+2	2E-7	8E-10	-	-	
98	Californium-246	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	4E+2	9E+0 9E+0	4E-9 4E-9	1E-11 2E-11	5E-6	5E-5	
98	Californium-248	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	8E+0 8E+0 (2E+1)	6E-2 Bone surf (1E-1) 1E-1	3E-11	-	-	-	
98	Californium-249	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	5E-1 Bone surf (1E+0)	4E-3 Bone surf (9E-3) 1E-2	2E-12	-	-	-	
			-	4E-12	-	1E-14	2E-8	2E-7	
			-	(1E-2)	-	2E-14	-	-	
98	Californium-250	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	1E+0 Bone surf (2E+0)	9E-3 Bone surf (2E-2) 3E-2	4E-12	-	-	-	
			-	1E-11	-	3E-14 4E-14	3E-8	3E-7	
98	Californium-251	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	5E-1 Bone surf (1E+0)	4E-3 Bone surf (9E-3) 1E-2	2E-12	-	-	-	
			-	4E-12	-	1E-14	2E-8	2E-7	
			-	(1E-2)	-	2E-14	-	-	
98	Californium-252	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	2E+0 Bone surf (5E+0)	2E-2 Bone surf (4E-2) 3E-2	8E-12	-	-	-	
			-	1E-11	-	5E-14 5E-14	7E-8	7E-7	
98	Californium-253	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	2E+2 Bone surf (4E+2)	2E+0 2E+0	8E-10 7E-10	3E-12 2E-12	-	-	
			-	-	-	-	5E-6	5E-5	
98	Californium-254	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	2E+0	2E-2 2E-2	9E-12 7E-12	3E-14 2E-14	3E-8	3E-7	
99	Einsteinium-250	W, all compounds	4E+4	5E+2 Bone surf (1E+3)	2E-7	-	6E-4	6E-3	
			-	-	2E-9	-	-	-	
99	Einsteinium-251	W, all compounds	7E+3	9E+2 Bone surf (1E+3)	4E-7	-	1E-4	1E-3	
99	Einsteinium-253	W, all compounds	2E+2	1E+0	6E-10	2E-12	2E-6	2E-5	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Col. 1 Oral Ingestion		Col. 3 Inhalation	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)		
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	-	-	-	
99	Einsteinium-254m	W, all compounds	3E+2 LLI wall (3E+2)	1E+1 - -	4E-9 - -	1E-11 - -	-	-	-	
99	Einsteinium-254	W, all compounds	8E+0 Bone surf (2E+1)	7E-2 (1E-1)	3E-11 - -	- 2E-13 -	2E-7 2E-6	2E-6	-	
100	Fermium-252	W, all compounds	5E+2	1E+1	5E-9	2E-11	6E-6	6E-5	-	
100	Fermium-253	W, all compounds	1E+3	1E+1	4E-9	1E-11	2E-5	1E-4	-	
100	Fermium-254	W, all compounds	3E+3	9E+1	4E-8	2E-10	4E-5	4E-4	-	
100	Fermium-255	W, all compounds	5E+2	2E+1	9E-9	3E-11	7E-6	7E-5	-	
100	Fermium-257	W, all compounds	2E+1 Bone surf (4E+1)	2E-1 Bone surf (2E-1)	7E-11 - -	- 3E-13 -	5E-7 5E-6	5E-6	-	
101	Mendelevium-257	W, all compounds	7E+3 - -	8E+1 Bone surf (9E+1)	4E-8 - -	- 1E-10 -	1E-4 - -	1E-3 - -	-	
101	Mendelevium-258	W, all compounds	3E+1 Bone surf (5E+1)	2E-1 Bone surf (3E-1)	1E-10 - -	- 5E-13 -	6E-7 6E-6	6E-6	-	
-	Any single radionuclide not listed above with decay mode other than alpha emission or spontaneous fission and with radioactive half-life less than 2 hours			Submersion ¹	-	2E+2	1E-7	1E-9	-	-
-	Any single radionuclide not listed above with decay mode other than alpha emission or spontaneous fission and with radioactive half-life greater than 2 hours			-	-	2E-1	1E-10	1E-12	1E-8	1E-7
-	Any single radionuclide not listed above that decays by alpha emission or spontaneous fission, or any mixture for which either the identity or the concentration of any radionuclide in the mixture is not known			-	-	4E-4	2E-13	1E-15	2E-9	2E-8

FOOTNOTES:

¹"Submersion" means that values given are for submersion in a hemispherical semi-infinite cloud of airborne material.

²These radionuclides have radiological half-lives of less than 2 hours. The total effective dose equivalent received during operations with these radionuclides might include a significant contribution from external exposure. The DAC values for all radionuclides, other than those designated Class "Submersion," are based upon the committed effective dose equivalent due to the intake of the radionuclide into the body and do NOT include potentially significant contributions to dose equivalent from external exposures. The licensee may substitute 1E-7 $\mu\text{Ci}/\text{ml}$ for the listed DAC to account for the submersion dose prospectively, but should use individual monitoring devices or other radiation measuring instruments that measure external exposure to demonstrate compliance with the limits. (See § 20.1203.)

³For soluble mixtures of U-238, U-234, and U-235 in air, chemical toxicity may be the limiting factor (see § 20.1201(e)). If the percent by weight (enrichment) of U-235 is not greater than 5, the concentration value for a 40-hour workweek is 0.2 milligrams uranium per cubic meter of air average. For any enrichment, the product of the average concentration and time of exposure during a 40-hour workweek shall not exceed 8E-3 (SA) $\mu\text{Ci}\cdot\text{hr}/\text{m}^3$, where SA is the specific activity of the uranium inhaled. The specific activity for natural uranium is 6.77E-7 curies per gram U. The specific activity for other mixtures of U-238, U-235, and U-234, if not known, shall be:

$$\text{SA} = 3.6E-7 \text{ curies/gram U} \quad \text{U-depleted}$$

$$\text{SA} = [0.4 + 0.38 (\text{enrichment}) + 0.0034 (\text{enrichment})^2] E-6, \quad \text{enrichment} \geq 0.72$$

where enrichment is the percentage by weight of U-235, expressed as percent.

NOTE:

- If the identity of each radionuclide in a mixture is known but the concentration of one or more of the radionuclides in the mixture is not known, the DAC for the mixture shall be the most restrictive DAC of any radionuclide in the mixture.
- If the identity of each radionuclide in the mixture is not known, but it is known that certain radionuclides specified in this appendix are not present in the mixture, the inhalation ALI, DAC, and effluent and sewage concentrations for the mixture are the lowest values specified in this appendix for any radionuclide that is not known to be absent from the mixture; or

Radionuclide	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
	Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
If it is known that Ac-227-D and Cm-250-W are not present	-	7E-4	3E-13	-	-	-	-
If, in addition, it is known that Ac-227-W,Y, Th-229-W,Y, Th-230-W,Y, Pa-231-W,Y, Np-237-W, Pu-239-W, Pu-240-W, Pu-242-W, Am-241-W, Am-242-W, Am-243-W, Cm-245-W, Cm-246-W, Cm-247-W, Cm-248-W, Bk-247-W, Cf-249-W, and Cf-251-W are not present	-	7E-3	3E-12	-	-	-	-
If, in addition, it is known that Sm-146-W, Sm-147-W, Gd-148-D,W, Gd-152-D,W, Th-228-W,Y, Th-230-Y, U-232-Y, U-233-Y, U-234-Y, U-235-Y, U-236-Y, U-238-Y, Np-236-W, Pu-236-W,Y, Pu-238-W,Y, Pu-239-Y, Pu-240-Y, Pu-242-Y, Pu-244-W,Y, Cm-243-W, Cm-244-W, Cf-248-W, Cf-249-Y, Cf-250-W,Y, Cf-251-Y, Cf-252-W,Y, and Cf-254-W,Y are not present	-	7E-2	3E-11	-	-	-	-
If, in addition, it is known that Pb-210-D, Bi-210-W, Po-210-D,W, Ra-223-W, Ra-225-W, Ra-226-W, Ac-225-D,W,Y, Th-227-W,Y, U-230-D,W,Y, U-232-D,W, Pu-241-W, Cm-240-W, Cm-242-W, Cf-248-Y, Es-254-W, Fr-257-W, and Md-258-W are not present	-	7E-1	3E-10	-	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Radionuclide	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers
	Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	
If, in addition, it is known that Si-32-Y, Ti-44-Y, Fe-60-D, Sr-90-Y, Zr-93-D, Cd-113m-D, Cd-113-D, In-115-D,W, La-138-D, Lu-176-W, Hf-178m-D,W, Hf-182-D,W, Bi-210m-D, Ra-224-W, Ra-228-W, Ac-226-D,W,Y, Pa-230-W,Y, U-233-D,W, U-234-D,W, U-235-D,W, Th-236-D,W, U-238-D,W, Pu-242-Y, Bk-249-W, Cf-253-W,Y, and Es-253-W are not present	-	7E+0	3E-9	-	-	-
If it is known that Ac-227-D,W,Y, Th-229-W,Y, Th-232-W,Y, Pa-231-W,Y, Cm-248-W, and Cm-250-W are not present	-	-	1E-14	-	-	-
If, in addition, it is known that Sm-146-W, Gd-148-D,W, Gd-152-D, Th-228-W,Y, Th-230-W,Y, U-232-Y, U-233-Y, U-234-Y, U-235-Y, U-236-Y, U-238-Y, U-Nat-Y, Nd-236-W, Nd-237-W, Pu-236-W,Y, Pu-239-W,Y, Pu-240-W,Y, Pu-242-W,Y, Pu-244-W,Y, Am-241-W, Am-242m-W, Am-243-W, Cm-243-W, Cm-244-W, Cm-245-W, Cm-246-W, Cm-247-W, Bk-247-W, Cf-249-W,Y, Cf-250-W,Y, Cf-251-W,Y, Cf-252-W,Y, and Cf-254-W,Y, are not present	-	1E-13	-	-	-	
If, in addition, it is known that Sm-147-W, Gd-152-W, Pb-210-D, Bi-210m-W, Po-210-D,W, Ra-223-W, Ra-225-W, Ra-226-W, Ac-225-D,W,Y, Th-227-W,Y, U-230-D,W,Y, U-232-D,W, U-Nat-W, Pu-241-W, Cm-240-W, Cm-242-W, Cf-248-W,Y, Es-254-W, Fr-257-W, and Md-258-W are not present	-	1E-12	-	-	-	-
If, in addition it is known that Fe-60, Sr-90, Cd-113m, Cd-113, In-115, I-129, Cs-134, Sm-145, Sm-147, Gd-148, Gd-152, Ho-154 (organic), Bi-210m, Ra-223, Ra-224, Ra-225, Ac-225, Th-228, Th-230, U-233, U-234, U-235, U-236, U-238, U-Nat, Cm-242, Cf-248, Es-254, Fr-257, and Md-258 are not present	-	-	-	1E-6	1E-5	-
3 If a mixture of radionuclides consists of uranium and its daughters in ore dust ($10 \mu\text{m}$ AMAD particle distribution assumed) prior to chemical separation of the uranium from the ore, the following values may be used for the DAC of the mixture: 6E-11 μCi of gross alpha activity from uranium-238, uranium-234, and radium-226 per milliliter of air; 3E-11 μCi of natural uranium per milliliter of air; or 45 micrograms of natural uranium per cubic meter of air.	-	-	-	-	-	-
4 If the identity and concentration of each radionuclide in a mixture are known, the limiting values should be derived as follows: determine, for each radionuclide in the mixture, the ratio between the concentration present in the mixture and the concentration otherwise established in Appendix B for the specific radionuclide when not in a mixture. The sum of such ratios for all of the radionuclides in the mixture may not exceed "1" (i.e., "unity").	-	-	-	-	-	-

Example: If radionuclides "A," "B," and "C" are present in concentrations C_A , C_B , and C_C , and if the applicable DACs are DAC_A , DAC_B , and DAC_C , respectively, then the concentrations shall be limited so that the following relationship exists:

$$\frac{C_A}{DAC_A} + \frac{C_B}{DAC_B} + \frac{C_C}{DAC_C} < 1$$

[56 FR 23409, May 21, 1991; 56 FR 61352, Dec. 3, 1991, as amended at 57 FR 57879, Dec. 8, 1992. Redesignated at 58 FR 67659, Dec. 22, 1993, as amended at 71 FR 15007, Mar. 27, 2006; 72 FR 55922, Oct. 1, 2007; 75 FR 73938, Nov. 30, 2010]